



Assignment

Fundamental concept and Permutations without repetition

Basic Level

- $(n-r+1)^n P_{r-1} =$

(a) ${}^{n-1}P_r$ (b) ${}^{n+1}P_r$ (c) ${}^n P_r$ (d) ${}^n P_{r-1}$
- If ${}^5 P_r = 120$, then the value of r is

(a) 2 (b) 3+ (c) 5 (d) 4
- If ${}^n P_5 : {}^n P_3 = 2 : 1$, then the value of n is [Rajasthan PET 1989]

(a) 2 (b) 3 (c) 4 (d) 5
- The value of $n \cdot {}^{n-1} P_{r-1}$ is [DCE 1998]

(a) ${}^n P_r$ (b) ${}^{n-1} P_{r-1}$ (c) ${}^{n+1} P_{r+1}$ (d) ${}^{n-1} P_r$
- If ${}^{m+n} P_2 = 56$ and ${}^{m-n} P_2 = 12$, then m, n are equal to

(a) 5, 1 (b) 6, 2 (c) 7, 3 (d) 9, 6
- If ${}^{K+5} P_{K+1} = \frac{11(K-1)}{2} {}^{K+3} P_K$ then the values of K are

(a) 2 and 6 (b) 2 and 11 (c) 7 and 11 (d) 6 and 7
- There are 5 roads leading to a town from a village. The number of different ways in which a villager can go to the town and return back, is

(a) 25 (b) 20 (c) 10 (d) 5
- How many words can be formed from the letters of the word BHOPAL

(a) 124 (b) 240 (c) 360 (d) 720
- How many numbers can be formed from the digits 1, 2, 3, 4 when the repetition is not allowed

(a) ${}^4 P_4$ (b) ${}^4 P_3$ (c) ${}^4 P_1 + {}^4 P_2 + {}^4 P_3$ (d) ${}^4 P_1 + {}^4 P_2 + {}^4 P_3 + {}^4 P_4$
- How many numbers lying between 500 and 600 can be formed with the help of the digits 1, 2, 3, 4, 5, 6 when the digits are not to be repeated

(a) 20 (b) 40 (c) 60 (d) 80
- 4 buses runs between Bhopal and Gwalior. If a man goes from Gwalior to Bhopal by a bus and comes back to Gwalior by another bus, then the total possible ways are

(a) 12 (b) 16 (c) 4 (d) 8
- In how many ways can 10 true-false questions be replied

(a) 20 (b) 100 (c) 512 (d) 1024
- There are 8 gates in a hall. In how many ways a person can enter in the hall and come out from a different gate

(a) 7 (b) 8×8 (c) $8 + 7$ (d) 8×7
- P, Q, R and S have to give lectures to an audience. The organiser can arrange the order of their presentation in [BIT Ranchi 1991; Pb. CET 1991]

(a) 4 ways (b) 12 ways (c) 256 ways (d) 24 ways
- The product of any r consecutive natural numbers is always divisible by

222 Permutations and Combinations

- (a) $r!$ (b) r^2 (c) r^n (d) None of these
16. The number of ways in which first, second and third prizes can be given to 5 competitors is
 (a) 10 (b) 60 (c) 15 (d) 125
17. In a railway compartment there are 6 seats. The number of ways in which 6 passengers can occupy these 6 seats is
[Karnataka CET 2001]
 (a) 36 (b) 30 (c) 720 (d) 120
18. If any number of flags are used, how many signals can be given with the help of 6 flags of different colours
 (a) 1956 (b) 1958 (c) 720 (d) None of these
19. The number of ways of painting the faces of a cube with six different colours is
 (a) 1 (b) 6 (c) $6!$ (d) None of these

Advance Level

20. The value of $2^n \{1.3.5 \dots (2n-3)(2n-1)\}$ is
 (a) $\frac{(2n)!}{n!}$ (b) $\frac{(2n)!}{2^n}$ (c) $\frac{n!}{(2n)!}$ (d) None of these
21. If ${}^{56}P_{r+6} : {}^{54}P_{r+3} = 30800 : 1$, then $r =$
[Roorkee 1983; Kurukshetra CEE 1998]
 (a) 31 (b) 41 (c) 51 (d) None of these
22. The value of ${}^n P_r$ is equal to
 (a) ${}^{n-1}P_r + r \cdot {}^{n-1}P_{r-1}$ (b) $n \cdot {}^{n-1}P_r + {}^{n-1}P_{r-1}$ (c) $n({}^{n-1}P_r + {}^{n-1}P_{r-1})$ (d) ${}^{n-1}P_{r-1} + {}^{n-1}P_r$
23. The exponent of 3 in $100!$ is
 (a) 33 (b) 44 (c) 48 (d) 52
24. The number of positive integral solutions of $abc = 30$ is
[UPSEAT 2001]
 (a) 30 (b) 27 (c) 8 (d) None of these
25. The number of 4 digit even numbers that can be formed using 0, 1, 2, 3, 4, 5, 6 without repetition is
 (a) 120 (b) 300 (c) 420 (d) 20
26. The number of five digits numbers that can be formed without any restriction is
 (a) 990000 (b) 100000 (c) 90000 (d) None of these
27. How many numbers less than 1000 can be made from the digits 1, 2, 3, 4, 5, 6 (repetition is not allowed)
 (a) 156 (b) 160 (c) 150 (d) None of these
28. How many even numbers of 3 different digits can be formed from the digits 1, 2, 3, 4, 5, 6, 7, 8, 9 (repetition is not allowed)
 (a) 224 (b) 280 (c) 324 (d) None of these
29. A five digit number divisible by 3 has to be formed using the numerals 0, 1, 2, 3, 4 and 5 without repetition. The total number of ways in which this can be done is
 (a) 216 (b) 240 (c) 600 (d) 3125
30. In a circus there are ten cages for accommodating ten animals. Out of these four cages are so small that five out of 10 animals cannot enter into them. In how many ways will it be possible to accommodate ten animals in these ten cages
[Roorkee 1989]
 (a) 66400 (b) 86400 (c) 96400 (d) None of these
31. How many numbers can be made with the digits 3, 4, 5, 6, 7, 8 lying between 3000 and 4000 which are divisible by 5 while repetition of any digit is not allowed in any number
 (a) 60 (b) 12 (c) 120 (d) 24

32. All possible four digit numbers are formed using the digits 0, 1, 2, 3 so that no number has repeated digits. The number of even numbers among them is
 (a) 9 (b) 18 (c) 10 (d) None of these
33. The total number of seven digit numbers the sum of whose digits is even is
 (a) 9000000 (b) 4500000 (c) 8100000 (d) None of these
34. The sum of all 4 digit numbers that can be formed by using the digits 2, 4, 6, 8 (repetition of digits not allowed) is
 (a) 133320 (b) 533280 (c) 53328 (d) None of these
35. How many numbers greater than 24000 can be formed by using digits 1, 2, 3, 4, 5 when no digit is repeated [Rajasthan]
 (a) 36 (b) 60 (c) 84 (d) 120
36. How many numbers greater than hundred and divisible by 5 can be made from the digits 3, 4, 5, 6, if no digit is repeated [AMU 1999]
 (a) 6 (b) 12 (c) 24 (d) 30
37. The sum of all numbers greater than 1000 formed by using the digits 1, 3, 5, 7 no digit is repeated in any number is [AMU 1997]
 (a) 106656 (b) 101276 (c) 117312 (d) 811273
38. 3 copies each of 4 different books are available. The number of ways in which these can be arranged on the shelf is [Karnataka CET 1996]
 (a) $12!$ (b) $\frac{12!}{3!4!}$ (c) $\frac{12!}{(3!)^4}$ (d) 369,000
39. Eleven books consisting of 5 Mathematics, 4 Physics and 2 Chemistry are placed on a shelf. The number of possible ways of arranging them on the assumption that the books of the same subject are all together is
 (a) $4!2!$ (b) $11!$ (c) $5!4!3!2!$ (d) None of these
40. The number of positive integers which can be formed by using any number of digits from 0, 1, 2, 3, 4, 5 but using each digit not more than once in each number is
 (a) 1200 (b) 1500 (c) 1600 (d) 1630
41. Let A be a set of $n(\geq 3)$ distinct elements. The number of triplets (x, y, z) of the elements of A in which at least two coordinates are equal is
 (a) ${}^n P_3$ (b) $n^3 - {}^n P_3$ (c) $3n^2 - 2n$ (d) $3n^2(n-1)$
42. The number of distinct rational numbers x such that $0 < x < 1$ and $x = \frac{p}{q}$, where $p, q \in \{1, 2, 3, 4, 5, 6\}$ is
 (a) 15 (b) 13 (c) 12 (d) 11
43. The total number of 5 digit numbers of different digits in which the digit in the middle is the largest is
 (a) $\sum_{n=4}^9 {}^n P_4$ (b) $33(3!)$ (c) $30(3!)$ (d) None of these
44. Two teams are to play a series of 5 matches between them. A match ends in a win or loss or draw for a team. A number of people forecast the result of each match and no two people make the same forecast for the series of matches. The smallest group of people in which one person forecasts correctly for all matches will contain n people, where n is
 (a) 81 (b) 243 (c) 486 (d) None of these

Number of Permutations with Repetition

Basic Level

45. The number of permutations of the letters $x^2y^4z^3$ will be

224 Permutations and Combinations

- (a) $\frac{9!}{2!4!}$ (b) $\frac{9!}{2!4!3!}$ (c) $\frac{9!}{4!3!}$ (d) $9!$
46. How many numbers consisting of 5 digits can be formed in which the digits 3, 4 and 7 are used only once and the digit 5 is used twice
 (a) 30 (b) 60 (c) 45 (d) 90
47. The number of different arrangements which can be made from the letters of the word SERIES taken all together is
 (a) $\frac{6!}{2!2!}$ (b) $\frac{6!}{4!}$ (c) $6!$ (d) None of these
48. How many words can be formed with the letters of the word MATHEMATICS by rearranging them
 (a) $\frac{11!}{2!2!}$ (b) $\frac{11!}{2!}$ (c) $\frac{11!}{2!2!2!}$ (d) $11!$
49. How many words can be made out from the letters of the word INDEPENDENCE, in which vowels always come together
[Roorkee 1989]
 (a) 16800 (b) 16630 (c) 1663200 (d) None of these
50. In how many ways 5 red, 4 blue and 1 green balls can be arranged in a row
 (a) 1260 (b) 2880 (c) $9!$ (d) $10!$
51. Using 5 conveyances, the number of ways of making 3 journeys is
 (a) 3×5 (b) 3^5 (c) 5^3 (d) $5^3 - 1$
52. The total number of permutations of the letters of the word "BANANA" is
[Rajasthan PET 1997, 2000]
 (a) 60 (b) 120 (c) 720 (d) 24
53. The number of 7 digit numbers which can be formed using the digits 1, 2, 3, 2, 3, 3, 4 is
 (a) 420 (b) 840 (c) 2520 (d) 5040
54. The number of 3 digit odd numbers, that can be formed by using the digits 1, 2, 3, 4, 5, 6 when the repetition is allowed, is
[Pb. CET 1999]
 (a) 60 (b) 108 (c) 36 (d) 30
55. How many different nine-digit numbers can be formed from the digits of the number 223355888 by rearrangement of the digits so that the odd digits occupy even places
[IIT Screening 2000; Karnataka CET 2002]
 (a) 16 (b) 36 (c) 60 (d) 180
56. Using all digits 2, 3, 4, 5, 6 how many even numbers can be formed
 (a) 24 (b) 48 (c) 72 (d) 120
57. Let S be the set of all functions from the set A to the set A . If $n(A) = k$ then $n(S)$ is
 (a) $k!$ (b) k^k (c) $2^k - 1$ (d) 2^k
58. The number of ways in which 6 rings can be worn on the four fingers of one hand is
[AMU 1983]
 (a) 4^6 (b) 6C_4 (c) 6^4 (d) None of these
59. In how many ways can 4 prizes be distributed among 3 students, if each student can get all the 4 prizes
 (a) $4!$ (b) 3^4 (c) $3^4 - 1$ (d) 3^3
60. In how many ways 3 letters can be posted in 4 letter-boxes, if all the letters are not posted in the same letter-box
 (a) 63 (b) 60 (c) 77 (d) 81
61. There are 4 parcels and 5 post-offices. In how many different ways the registration of parcel can be made
 (a) 20 (b) 4^5 (c) 5^4 (d) $5^4 - 4^5$

62. How many numbers lying between 10 and 1000 can be formed from the digits 1, 2, 3, 4, 5, 6, 7, 8, 9 (repetition is allowed)
 (a) 1024 (b) 810 (c) 2346 (d) None of these
63. Ten different letters of an alphabet are given. Words with five letters are formed from these given letters. Then the number of words which have at least one letter repeated is
 [IIT 1980; MNR 1998, 99; DCE 2001]
 (a) 69760 (b) 30240 (c) 99748 (d) None of these
64. Six identical coins are arranged in a row. The number of ways in which the number of tails is equal to the number of heads is
 (a) 20 (b) 9 (c) 120 (d) 40
65. The total number of permutations of $n(>1)$ different things taken not more than r at a time, when each thing may be repeated any number of times is
 (a) $\frac{n(n^n - 1)}{n - 1}$ (b) $\frac{n^r - 1}{n - 1}$ (c) $\frac{n(n^r - 1)}{n - 1}$ (d) None of these
66. How many number less than 10000 can be made with the eight digits 1, 2, 3, 4, 5, 6, 7, 0 (digits may repeat)
 (a) 256 (b) 4095 (c) 4096 (d) 4680
67. The total number of natural numbers of six digits that can be made with digits 1, 2, 3, 4, if the all digits are to appear in the same number at least once, is
 (a) 1560 (b) 840 (c) 1080 (d) 480
68. A library has a copies of one book, b copies of each of two books, c copies of each of three books and single copies of d books. The total number of ways in which these books can be distributed is
 (a) $\frac{(a+b+c+d)!}{a!b!c!}$ (b) $\frac{(a+2b+3c+d)!}{a!(b!)^2(c!)^3}$ (c) $\frac{(a+2b+3c+d)!}{a!b!c!}$ (d) None of these
69. The number of ways of arranging $2m$ white counters and $2n$ red counters in a straight line so that the arrangement is symmetrical with respect to a central mark
 (a) $(m+n)!$ (b) $\frac{(m+n)!}{m!n!}$ (c) $\frac{2(m+n)!}{m!n!}$ (d) None of these
70. Total number of four digit odd numbers that can be formed using 0, 1, 2, 3, 5, 7 are [AIEEE 2002]
 (a) 216 (b) 375 (c) 400 (d) 720
71. The number of ways of arranging the letter AAAAA BBB CCC D EE F in a row when no two C's are together is
 (a) $\frac{15!}{5!3!3!2!} - 3!$ (b) $\frac{15!}{5!3!3!2!} - \frac{13!}{5!3!2!}$ (c) $\frac{12!}{5!3!2!} \times \frac{{}^{13}P_3}{3!}$ (d) $\frac{12!}{5!3!2!} \times {}^{13}P_3$
72. The number of 4 digit numbers that can be made with the digits 1, 2, 3, 4 and 5 in which at least two digits are identical, is
 (a) $4^5 - 5!$ (b) 505 (c) 600 (d) None of these

Conditional Permutations
Basic Level

73. The number of words which can be formed from the letters of the word MAXIMUM, if two consonants cannot occur together, is
 (a) 4! (b) $3! \times 4!$ (c) 7! (d) None of these
74. The number of ways in which the letters of the word TRIANGLE can be arranged such that two vowels do not occur together is
 (a) 1200 (b) 2400 (c) 14400 (d) None of these
75. How many words can be formed from the letters of the word COURTESY, whose first letter is C and the last letter is Y
 (a) 6! (b) 8! (c) $2(6)!$ (d) $2(7)!$

226 Permutations and Combinations

76. How many words can be made from the letters of the word DELHI, if L comes in the middle in every word
(a) 12 (b) 24 (c) 60 (d) 6
77. The number of ways in which the letters of the word ARRANGE can be arranged such that both R do not come together is
[MP PET 1993]
(a) 360 (b) 900 (c) 1260 (d) 1620
78. How many words can be made from the letters of the word BHARAT in which B and H never come together [IIT 1977]
(a) 360 (b) 300 (c) 240 (d) 120
79. How many words can be made from the letters of the word INSURANCE, if all vowels come together
(a) 18270 (b) 17280 (c) 12780 (d) None of these
80. There are three girls in a class of 10 students. The number of different ways in which they can be seated in a row such that no two of the three girls are together is
(a) $7! \times {}^6P_3$ (b) $7! \times {}^8P_3$ (c) $7! \times 3!$ (d) $\frac{10!}{3!7!}$
81. In how many ways can 5 boys and 5 girls stand in a row so that no two girls may be together
(a) $(5!)^2$ (b) $5! \times 4!$ (c) $5! \times 6!$ (d) $6 \times 5!$
82. The number of arrangements of the letters of the word BANANA in which two N's do not appear adjacently is [IIT Scree]n
(a) 40 (b) 60 (c) 80 (d) 100
83. The number of ways in which 5 boys and 3 girls can be seated in a row so that each girl in between two boys [Kerala (I
(a) 2880 (b) 1880 (c) 3800 (d) 2800
84. The number of words that can be formed out of the letters of the word ARTICLE so that the vowels occupy even places is
[Karnataka CET 2003]
(a) 36 (b) 574 (c) 144 (d) 754
85. The number of ways in which three students of a class may be assigned a grade of A, B, C or D so that no two students receive the same grade, is
(a) 3^4 (b) 4^3 (c) 4P_3 (d) 4C_3
86. The number of ways lawn tennis mixed double can be made up from seven married couples if no husband and wife play in the same set is
(a) 210 (b) 420 (c) 840 (d) None of these

Advance Level

87. How many numbers greater 40000 can be formed from the digits 2, 4, 5, 5, 7
(a) 12 (b) 24 (c) 36 (d) 48
88. In how many ways n books can be arranged in a row so that two specified books are not together
(a) $n! - (n-2)!$ (b) $(n-1)!(n-2)$ (c) $n! - 2(n-1)$ (d) $(n-2)n!$
89. How many numbers between 5000 and 10,000 can be formed using the digits 1, 2, 3, 4, 5, 6, 7, 8, 9 each digit appearing not more than once in each number
(a) $5 \times {}^8P_3$ (b) $5 \times {}^8C_3$ (c) $5! \times {}^8P_3$ (d) $5! \times {}^8C_3$
90. Find the total number of 9 digit numbers which have all the digits different [IIT 1982]
(a) $9 \times 9!$ (b) $9!$ (c) $10!$ (d) None of these
91. Four dice (six faced) are rolled. The number of possible outcomes in which at least one die shows 2 is
(a) 1296 (b) 625 (c) 671 (d) None of these
92. How many numbers, lying between 99 and 1000 be made from the digits 2, 3, 7, 0, 8, 6 when the digits occur only once in each number
[MP PET 1984]

- (a) 100 (b) 90 (c) 120 (d) 80
93. The sum of the digits in the unit place of all numbers formed with the help of 3, 4, 5, 6 taken all at a time is [Pb. CET 1999]
- (a) 18 (b) 432 (c) 108 (d) 144
94. All letters of the word AGAIN are permuted in all possible ways and the words so formed (with or without meaning) are written as in dictionary, then the 50th word is
- (a) NAAGI (b) IAANG (c) NAAIG (d) INAGA
95. Eight chairs are numbered 1 to 8. Two women and three men wish to occupy one chair each. First the women choose the chairs from amongst the chairs marked 1 to 4 and then men select the chairs from amongst the remaining. The number of possible arrangements is
- (a) ${}^6C_3 \times {}^4C_2$ (b) ${}^4C_2 \times {}^4P_3$ (c) ${}^4P_2 \times {}^4P_3$ (d) None of these
96. If a denotes the number of permutations of $x+2$ things taken all at a time, b the number of permutations of x things taken 11 at a time and c the number of permutations of $x-11$ things taken all at a time such that $a=182bc$, then the value of x is
- (a) 15 (b) 12 (c) 10 (d) 18
97. The number of ways in which ten candidates A_1, A_2, \dots, A_{10} can be ranked such that A_1 is always above A_{10} is
- (a) $5!$ (b) $2(5!)$ (c) $10!$ (d) $\frac{1}{2}(10!)$
98. A dictionary is printed consisting of 7 lettered words only that can be made with a letter of the word CRICKET. If the words are printed at the alphabetical order, as in an ordinary dictionary, the number of word before the word CRICKET is [Orissa JEE 2003]
- (a) 530 (b) 480 (c) 531 (d) 481
99. Seven different lecturers are to deliver lectures in seven periods of a class on a particular day. A, B and C are three of the lecturers. The number of ways in which a routine for the day can be made such that A delivers his lecture before B, and B before C, is
- (a) 420 (b) 120 (c) 210 (d) None of these
100. Let $A = \{x : x \text{ is a prime number and } x < 30\}$. The number of different rational numbers whose numerator and denominator belong to A is
- (a) 90 (b) 180 (c) 91 (d) None of these
101. The number of numbers of 9 different non-zero digits such that all the digits in the first four places are less than the digit in the middle and all the digits in the last four places are greater than that in the middle is
- (a) $2(4!)$ (b) $(4!)^2$ (c) $8!$ (d) None of these
102. How many ways are there to arrange the letters in the word GARDEN with the vowels in alphabetical order [AIEEE 2002]
- (a) 480 (b) 240 (c) 360 (d) 120

Circular Permutations
Basic Level

103. If eleven members of a committee sit at a round table so that the president and secretary always sit together, then the number of arrangement is
- (a) $10! \times 2$ (b) $10!$ (c) $9! \times 2$ (d) None of these
104. In how many ways can 5 keys be put in a ring
- (a) $\frac{4!}{2}$ (b) $\frac{5!}{2}$ (c) $4!$ (d) $5!$
105. In how many ways can 12 gentlemen sit around a round table so that three specified gentlemen are always together
- (a) $9!$ (b) $10!$ (c) $3!10!$ (d) $3!9!$

228 Permutations and Combinations

106. n gentlemen can be made to sit on a round table in [MP PET 1982]
(a) $\frac{1}{2}(n+1)!$ ways (b) $(n-1)!$ ways (c) $\frac{1}{2}(n-1)!$ ways (d) $(n+1)!$ ways
107. In how many ways 7 men and 7 women can be seated around a round table such that no two women can sit together [EAMCET 1990; MP PET 2001; DCE 2001; UPSEAT 2002]
(a) $(7!)^2$ (b) $7! \times 6!$ (c) $(6!)^2$ (d) $7!$
108. The number of circular permutations of n different objects is
(a) $n!$ (b) n (c) $(n-2)!$ (d) $(n-1)!$

Advance Level

109. In how many ways can 15 members of a council sit along a circular table, when the Secretary is to sit on one side of the Chairman and the Deputy secretary on the other side
(a) $2 \times 12!$ (b) 24 (c) $2 \times 15!$ (d) None of these
110. 20 persons are invited for a party. In how many different ways can they and the host be seated at a circular table, if the two particular persons are to be seated on either side of the host
(a) $20!$ (b) $2 \cdot 18!$ (c) $18!$ (d) None of these
111. 12 persons are to be arranged to a round table. If two particular persons among them are not to be side by side, the total number of arrangements is
(a) $9(10!)$ (b) $2(10!)$ (c) $45(8!)$ (d) $10!$
112. The number of ways that 8 beads of different colours be string as a necklace is [EAMCET 2002]
(a) 2520 (b) 2880 (c) 5040 (d) 4320
113. The number of ways in which 6 men and 5 women can dine at a round table if no two women are to sit together is given by [AIEEE 2003; Rajasthan PET 2003]
(a) $6! \times 5!$ (b) 30 (c) $5! \times 4!$ (d) $7! \times 5!$
114. In how many ways can 10 persons sit, when 6 persons sit on one round table and 4 sit on the other round table
(a) $5! \times 3!$ (b) $10 \times 5! \times 3!$ (c) ${}^{10}C_6 \times 5! \times 3!$ (d) ${}^{10}C_6 \times 5! \times 3! \times 2!$
115. There are 20 persons among whom two are brothers. The number of ways in which we can arrange them round a circle so that there is exactly one person between the two brothers, is
(a) $18!$ (b) $2(18!)$ (c) $2(19!)$ (d) None of these
116. A family has 8 members. Four members take food two times a day on two identical round tables. For how many months 8 members can take food by sitting in different orders (1 month = 30 days)
(a) 42 months (b) 21 months (c) $\frac{21}{2}$ months (d) None of these

Fundamental concept and Number of Combinations without

Basic Level

117. If n is even and the value of nC_r is maximum, then $r =$
(a) $\frac{n}{2}$ (b) $\frac{n+1}{2}$ (c) $\frac{n-1}{2}$ (d) None of these

118. ${}^{47}C_4 + \sum_{r=1}^5 {}^{52-r}C_3 =$ [IIT 1980; Rajasthan PET 2002; UPSEAT
2000]
 (a) ${}^{47}C_6$ (b) ${}^{52}C_5$ (c) ${}^{52}C_4$ (d) None of these
119. If ${}^nC_3 = 220$, then $n =$
 (a) 10 (b) 12 (c) 15 (d) 8
120. If $2 \times {}^nC_5 = 9 \times {}^{n-2}C_5$, then the value of n will be
 (a) 7 (b) 10 (c) 9 (d) 5
121. The number of combinations of n different objects taken r at a time will be
 (a) nP_r (b) ${}^nP_r r!$ (c) $\frac{{}^nP_r}{r!}$ (d) None of these
122. ${}^{n^2-n}C_2 = {}^{n^2-n}C_{10}$, then $n =$
 (a) 12 (b) 4 only (c) -3 only (d) 4 or -3
123. ${}^nC_r + {}^nC_{r-1}$ is equal to [MP PET 1984; Kerala (Engg.)
2002]
 (a) ${}^{n+1}C_r$ (b) ${}^nC_{r+1}$ (c) ${}^{n+1}C_{r+1}$ (d) ${}^{n-1}C_{r-1}$
124. If ${}^8C_r = {}^8C_{r+2}$, then the value of rC_2 is [MP PET 1984; Rajasthan PET
1987]
 (a) 8 (b) 3 (c) 5 (d) 2
125. If ${}^{20}C_{n+2} = {}^nC_{16}$, then the value of n is [MP PET 1984]
 (a) 7 (b) 10 (c) 13 (d) No value
126. The value of ${}^{15}C_3 + {}^{15}C_{13}$ is
 (a) ${}^{16}C_3$ (b) ${}^{30}C_{16}$ (c) ${}^{15}C_{10}$ (d) ${}^{15}C_{15}$
127. If ${}^{10}C_r = {}^{10}C_{r+2}$, then 5C_r equals
 (a) 120 (b) 10 (c) 360 (d) 5
128. If ${}^nC_r = 84$, ${}^nC_{r-1} = 36$ and ${}^nC_{r+1} = 126$, then n equals [Rajasthan PET 1997; MP PET
2001]
 (a) 8 (b) 9 (c) 10 (d) 5
129. If ${}^nC_3 + {}^nC_4 > {}^{n+1}C_3$, then [Rajasthan PET 1999]
 (a) $n > 6$ (b) $n > 7$ (c) $n < 6$ (d) None of these
130. Value of r for which ${}^{15}C_{r+3} = {}^{15}C_{2r-6}$ is [Pb. CET 1999]
 (a) 2 (b) 4 (c) 6 (d) -9
131. For $2 \leq r \leq n$, $\binom{n}{r} + 2\binom{n}{r-1} + \binom{n}{r-2}$ is equal to [IIT Screening 2000]
 (a) $\binom{n+1}{r-1}$ (b) $2\binom{n+1}{r+1}$ (c) $2\binom{n+2}{r}$ (d) $\binom{n+2}{r}$
132. ${}^{n-1}C_3 + {}^{n-1}C_4 > {}^nC_3$ then the value of n is [Rajasthan PET 2000]
 (a) 7 (b) < 7 (c) > 7 (d) None of these
133. $\binom{n}{n-r} + \binom{n}{r+1}$, whenever $0 \leq r \leq n-1$ is equal to [AMU 2000]
 (a) $\binom{n}{r-1}$ (b) $\binom{n}{r}$ (c) $\binom{n}{r+1}$ (d) $\binom{n+1}{r+1}$

230 Permutations and Combinations

134. If ${}^{43}C_{r-6} = {}^{43}C_{3r+1}$, then the value of r is [Kerala (Engg.) 2002]
(a) 12 (b) 8 (c) 6 (d) 10
135. The least value of natural number n satisfying $C(n,5) + C(n,6) > C(n+1,5)$ is [EAMCET 2002]
(a) 11 (b) 10 (c) 12 (d) 13
136. If nC_r denotes the number of combinations of n things taken r at a time, then the expression ${}^nC_{r+1} + {}^nC_{r-1} + 2 \times {}^nC_r$, equals [AIEEE 2003]
(a) ${}^{n+2}C_r$ (b) ${}^{n+2}C_{r+1}$ (c) ${}^{n+1}C_r$ (d) ${}^{n+1}C_{r+1}$
137. ${}^5C_1 + {}^5C_2 + {}^5C_3 + {}^5C_4 + {}^5C_5$ is equal to [Rajasthan PET 1989]
(a) 30 (b) 31 (c) 32 (d) 33
138. If $C(n,12) = C(n,8)$, then the value of $C(22,n)$ is [Rajasthan PET 1993]
(a) 924 (b) 308 (c) 462 (d) 231
139. If ${}^{20}C_r = {}^{20}C_{r-10}$, then ${}^{18}C_r$ is equal to [Rajasthan PET 1988]
(a) 816 (b) 1632 (c) 4896 (d) None of these
140. If ${}^nC_4, {}^nC_5, {}^nC_6$ are in A.P. then the value of n is [AMU 1989]
(a) 14 or 7 (b) 11 (c) 17 (d) 8
141. There are 12 volleyball players in all in a college, out of which a team of 9 players is to be formed. If the captain always remains the same, then in how many ways can the team be formed
(a) 36 (b) 108 (c) 99 (d) 165
142. There are 16 vacancies for clerks in a certain office, 20 applications are received. In how many ways can the clerks be appointed
(a) 3800 (b) 3876 (c) 969 (d) 4845
143. In how many ways a committee of 5 members can be formed out of 8 gentlemen and 4 ladies, if one particular lady is always to be taken
(a) 140 (b) 330 (c) 560 (d) None of these
144. How many words can be formed by taking 3 consonants and 2 vowels out of 5 consonants and 4 vowels
(a) ${}^5C_3 \times {}^4C_2$ (b) $\frac{{}^5C_3 \times {}^4C_2}{5}$ (c) ${}^5C_3 \times {}^4C_3$ (d) $({}^5C_3 \times {}^4C_2)(5)!$
145. A male and a female typist are needed in an institution. If 10 ladies and 15 gentlemen apply, then in how many ways can the selection be made
(a) 125 (b) 145 (c) 150 (d) None of these
146. Everybody in a room shakes hand with everybody else. The total number of hand shakes is 66. The total number of persons in the room is
(a) 11 (b) 12 (c) 13 (d) 14
147. There are 9 chairs in a room on which 6 persons are to be seated, out of which one is guest with one specific chair. In how many ways they can sit
(a) 6720 (b) 60480 (c) 30 (d) 346
148. On the occasion of Deepawali festival each student of a class sends greeting cards to the others. If there are 20 students in the class, then the total number of greeting cards exchanged by the students is
(a) ${}^{20}C_2$ (b) $2 \cdot {}^{20}C_2$ (c) $2 \cdot {}^{20}P_2$ (d) None of these
149. A father with 8 children takes them 3 at a time to the Zoological gardens, as often as he can without taking the same 3 children together more than once. The number of times he will go to the garden is
(a) 336 (b) 112 (c) 56 (d) None of these
150. In how many ways can 5 red and 4 white balls be drawn from a bag containing 10 red and 8 white balls

[EAMCET 1991; Pb. CET 2000]

- (a) ${}^8C_5 \times {}^{10}C_4$ (b) ${}^{10}C_5 \times {}^8C_4$ (c) ${}^{18}C_9$ (d) None of these
151. There are 15 persons in a party and each person shake hand with another, then total number of hand shakes is [Rajast]
- (a) ${}^{15}P_2$ (b) ${}^{15}C_2$ (c) 15! (d) 2(15!)
152. A fruit basket contains 4 oranges, 5 apples and 6 mangoes. The number of ways person make selection of fruits from among the fruits in the basket is
- (a) 210 (b) 209 (c) 208 (d) None of these
153. In a cricket championship there are 36 matches. The number of teams if each plays one match with other are [Karnata]
- (a) 8 (b) 9 (c) 10 (d) None of these

Advance Level

154. If ${}^{2n}C_3 : {}^nC_2 = 44 : 3$, then for which of the following values of r , the values of nC_r will be 15
- (a) $r = 3$ (b) $r = 4$ (c) $r = 6$ (d) $r = 5$
155. ${}^nC_r + {}^{n-1}C_r + \dots + {}^rC_r =$ [AMU 2002]
- (a) ${}^{n+1}C_r$ (b) ${}^{n+1}C_{r+1}$ (c) ${}^{n+2}C_r$ (d) 2^n
156. The solution set of ${}^{10}C_{x-1} > 2 \cdot {}^{10}C_x$ is
- (a) {1, 2, 3} (b) {4, 5, 6} (c) {8, 9, 10} (d) {9, 10, 11}
157. $\sum_{r=0}^m {}^{n+r}C_n =$
- (a) ${}^{n+m+1}C_{n+1}$ (b) ${}^{n+m+2}C_n$ (c) ${}^{n+m+3}C_{n-1}$ (d) None of these
158. If $\alpha = {}^mC_2$, then ${}^\alpha C_2$ is equal to
- (a) ${}^{m+1}C_4$ (b) ${}^{m-1}C_4$ (c) $3^{m+2}C_4$ (d) $3^{m+1}C_4$
159. ${}^{14}C_4 + \sum_{j=1}^4 {}^{18-j}C_3$ is equal to
- (a) ${}^{18}C_3$ (b) ${}^{18}C_4$ (c) ${}^{14}C_7$ (d) None of these
160. If $a_n = \sum_{r=0}^n \frac{1}{{}^nC_r}$ then $\sum_{r=0}^n \frac{r}{{}^nC_r}$ equals [IIT 1998]
- (a) $(n-1)a_n$ (b) na_n (c) $\frac{1}{2}na_n$ (d) None of these
161. In a football championship, there were played 153 matches. Every team played one match with each other. The number of teams participating in the championship is [West Bengal JEE 1992; Kurukshetra CEE 1998]
- (a) 17 (b) 18 (c) 9 (d) 13
162. Ten persons, amongst whom are A, B and C to speak at a function. The number of ways in which it can be done if A wants to speak before B and B wants to speak before C is
- (a) $\frac{10!}{6}$ (b) $3!7!$ (c) ${}^{10}P_3 \cdot 7!$ (d) None of these
163. The number of times the digit 5 will be written when listing the integers from 1 to 1000 is
- (a) 271 (b) 272 (c) 300 (d) None of these
164. All possible two factors products are formed from numbers 1, 2, 3, 4, ..., 200. The number of factors out of the total obtained which are multiples of 5 is

232 Permutations and Combinations

- (a) 5040 (b) 7180 (c) 8150 (d) None of these
165. A car will hold 2 in the front seat and 1 in the rear seat. If among 6 persons 2 can drive, then the number of ways in which the car can be filled is
(a) 10 (b) 20 (c) 30 (d) None of these
166. The expression ${}^{n+1}C_2 + 2{}^2C_2 + 3{}^3C_2 + \dots + {}^nC_2$ can be reduced to
(a) $\frac{n(n+1)}{2}$ (b) $\frac{n(n-1)}{2}$ (c) $\frac{n(n+1)(2n+1)}{6}$ (d) $\frac{n(2n+1)}{3}$
167. The value of $({}^7C_0 + {}^7C_1) + ({}^7C_1 + {}^7C_2) + \dots + ({}^7C_6 + {}^7C_7)$ is [AMU 1990, 92]
(a) $2^7 - 1$ (b) $2^8 - 2$ (c) $2^8 - 1$ (d) 2^8
168. The expression ${}^nC_r + 4{}^nC_{r-1} + 6{}^nC_{r-2} + 4{}^nC_{r-3} + {}^nC_{r-4}$ equals [AMU 1993, 91]
(a) ${}^{n+4}C_r$ (b) $2 \cdot {}^{n+4}C_{r-1}$ (c) $4 \cdot {}^nC_r$ (d) $11 \cdot {}^nC_r$

Number of Combinations with Repetition and All possible Selections

Basic Level

169. Ramesh has 6 friends. In how many ways can he invite one or more of them at a dinner
(a) 61 (b) 62 (c) 63 (d) 64
170. Out of 10 white, 9 black and 7 red balls, the number of ways in which selection of one or more balls can be made, is
(a) 881 (b) 891 (c) 879 (d) 892
171. Out of 6 books, in how many ways can a set of one or more books be chosen [MP PET 1984]
(a) 64 (b) 63 (c) 62 (d) 65
172. In an examination there are three multiple choice questions and each question has 4 choices. Number of ways in which a student can fail to get all answers correct, is [Pb. CET 1990; UPSEAT 2001]
(a) 11 (b) 12 (c) 27 (d) 63
173. The total number of different combinations of one or more letters which can be made from the letters of the word 'MISSISSIPPI' is
(a) 150 (b) 148 (c) 149 (d) None of these
174. The total number of ways of selecting six coins out of 20 one rupee coins, 10 fifty paise coins and 7 twenty five paise coins is
(a) 28 (b) 56 (c) ${}^{37}C_6$ (d) None of these

Advance Level

175. In an election there are 8 candidates, out of which 5 are to be chosen. If a voter may vote for any number of candidates but not greater than the number to be chosen, then in how many ways can a voter vote
(a) 216 (b) 114 (c) 218 (d) None of these
176. In an election the number of candidates is 1 greater than the persons to be elected. If a voter can vote in 254 ways, then the number of candidates is
(a) 7 (b) 10 (c) 8 (d) 6
177. The number of ways of dividing 52 cards amongst four players so that three players have 17 cards each and the fourth player just one card, is
(a) $\frac{52!}{(17!)^3}$ (b) $52!$ (c) $\frac{52!}{17!}$ (d) None of these

178. In a city no two persons have identical set of teeth and there is no person without a tooth. Also no person has more than 32 teeth. If we disregard the shape and size of tooth and consider only the positioning of the teeth, then the maximum population of the city is
 (a) 2^{32} (b) $(32)^2 - 1$ (c) $2^{32} - 1$ (d) 2^{32-1}
179. The number of ways in which four letters of the word 'MATHEMATICS' can be arranged is given by
 [Kurukshetra CEE 1996; Pb. CET 1995]
 (a) 136 (b) 192 (c) 1680 (d) 2454
180. A person is permitted to select at least one and at most n coins from a collection of $2n+1$ (distinct) coins. If the total number of ways in which he can select coins is 255, then n equals
 (a) 4 (b) 8 (c) 16 (d) 32
181. The total number of ways of selecting five letters from the letters of the word 'INDEPENDENT' is
 (a) 70 (b) 3320 (c) 120 (d) None of these
182. There are n different books and p copies of each in a library. The number of ways in which one or more books can be selected is
 (a) $p^n + 1$ (b) $(p+1)^n - 1$ (c) $(p+1)^n - p$ (d) p^n

Conditional Combinations, Derangement, Division into groups
Basic Level

183. In how many ways can 21 English and 19 Hindi books be placed in a row so that no two Hindi books are together
 (a) 1540 (b) 1450 (c) 1504 (d) 1405
184. The number of ways in which five identical balls can be distributed among ten identical boxes such that no box contains more than one ball, is
 (a) $10!$ (b) $\frac{10!}{5!}$ (c) $\frac{10!}{(5!)^2}$ (d) None of these
185. In how many ways can two balls of the same colour be selected out of 4 black and 3 white balls
 (a) 5 (b) 6 (c) 9 (d) 8
186. Ten persons are arranged in a row. The number of ways of selecting four persons so that no two persons sitting next to each other are selected is
 (a) 34 (b) 36 (c) 35 (d) None of these
187. In a touring cricket team there are 16 players in all including 5 bowlers and 2 wicket-keepers. How many teams of 11 players from these, can be chosen, so as to include three bowlers and one wicket-keeper
 (a) 650 (b) 720 (c) 750 (d) 800
188. A total number of words which can be formed out of the letters a, b, c, d, e, f taken 3 together such that each word contains at least one vowel, is
 (a) 72 (b) 48 (c) 96 (d) None of these
189. Out of 6 boys and 4 girls, a group of 7 is to be formed. In how many ways can this be done if the group is to have a majority of boys
 [MP PET 1994]
 (a) 120 (b) 90 (c) 100 (d) 80
190. Let A be a set containing 10 distinct elements. Then the total number of distinct functions from A to A , is
 (a) $10!$ (b) 10^{10} (c) 2^{10} (d) $2^{10} - 1$
191. A lady gives a dinner party for six guests. The number of ways in which they may be selected from among ten friends, if two of the friends will not attend the party together is
 (a) 112 (b) 140 (c) 164 (d) None of these
192. The number of ways in which mn students can be distributed equally among n sections is

234 Permutations and Combinations

- (a) $(mn)^n$ (b) $\frac{(mn)!}{(m!)^n}$ (c) $\frac{mn}{m!}$ (d) $\frac{mn}{m!n!}$

193. There are 3 candidates for a post and one is to be selected by the votes of 7 men. The number of ways in which votes can be given is

- (a) 7^3 (b) 3^7 (c) 7C_3 (d) None of these

194. In how many ways can 10 balls be divided between two boys, one receiving two and the other eight balls

- (a) 45 (b) 75 (c) 90 (d) None of these

195. The number of ways in which thirty five apples can be distributed among 3 boys so that each can have any number of apples, is

- (a) 1332 (b) 666 (c) 333 (d) None of these

196. The number of ways in which six different prizes can be distributed among three children each receiving at least one prize is

- (a) 270 (b) 540 (c) 1080 (d) 2160

[JMIEEE 1997]

Advance Level

197. In how many ways can Rs. 16 be divided into 4 person when none of them get less than Rs. 3

- (a) 70 (b) 35 (c) 64 (d) 192

198. Two packs of 52 cards are shuffled together. The number of ways in which a man can be dealt 26 cards so that he does not get two cards of the same suit and same denomination is

- (a) ${}^{52}C_{26} \cdot 2^{26}$ (b) ${}^{104}C_{26}$ (c) $2 \cdot {}^{52}C_{26}$ (d) None of these

199. Choose the correct number of ways in which 15 different books can be divided into five heaps of equal number of books

- (a) $\frac{15!}{5!(3!)^5}$ (b) $\frac{15!}{(3!)^5}$ (c) ${}^{15}C_5$ (d) ${}^{15}P_5$

[MP PET 1982]

200. There were two women participating in a chess tournament. Every participant played two games with the other participants. The number of games that the men played between themselves proved to exceed by 66 the number of games that the men played with the women. The number of participants is

- (a) 6 (b) 11 (c) 13 (d) None of these

201. Five balls of different colours are to be placed in three boxes of different sizes. Each box can hold all five balls. In how many ways can we place the balls so that no box remains empty

- (a) 50 (b) 100 (c) 150 (d) 200

202. A box contains two white balls, three black balls and four red balls. In how many ways can three balls be drawn from the box if at least one black ball is to be included in the draw

- (a) 64 (b) 45 (c) 46 (d) None of these

203. In how many ways can a committee be formed of 5 members from 6 men and 4 women if the committee has at least one women

- (a) 186 (b) 246 (c) 252 (d) None of these

[Rajasthan PET 1987; IIT 1968]

204. Six '+' and four '-' signs are to be placed in a straight line so that no two '-' signs come together, then the total number of ways are

- (a) 15 (b) 18 (c) 35 (d) 42

[IIT 1988]

205. The number of groups that can be made from 5 different green balls, 4 different blue balls and 3 different red balls, if at least 1 green and 1 blue ball is to be included

- (a) 3700 (b) 3720 (c) 4340 (d) None of these

206. In an election there are 5 candidates and three vacancies. A voter can vote maximum to three candidates, then in how many ways can he vote

- (a) 125 (b) 60 (c) 10 (d) 25
207. A committee of 12 is to be formed from 9 women and 8 men in which at least 5 women have to be included in a committee. Then the number of committees in which the women are in majority and men are in majority are respectively [IIT 1994]
 (a) 4784, 1008 (b) 2702, 3360 (c) 6062, 2702 (d) 2702, 1008
208. The number of ways in which 10 persons can go in two boats so that there may be 5 on each boat, supposing that two particular persons will not go in the same boat is
 (a) $\frac{1}{2}({}^{10}C_5)$ (b) $2({}^8C_4)$ (c) $\frac{1}{2}({}^8C_5)$ (d) None of these
209. There are 10 persons named A, B, \dots, J . We have the capacity to accommodate only 5. In how many ways can we arrange them in a line if A is must and G and H must not be included in the team of 5
 (a) 8P_5 (b) 7P_5 (c) ${}^7C_3(4!)$ (d) ${}^7C_3(5!)$
210. The number of ways in which we can select three numbers from 1 to 30 so as to exclude every selection of all even numbers is
 (a) 4060 (b) 3605 (c) 455 (d) None of these
211. In a steamer there are stalls for 12 animals and there are horses, cows and calves (not less than 12 each) ready to be shipped. They can be loaded in
 (a) $3^{12} - 1$ (b) 3^{12} (c) $(12)^3 - 1$ (d) None of these
212. There are $(n+1)$ white and $(n+1)$ black balls each set numbered 1 to $n+1$. The number of ways in which the balls can be arranged in a row so that the adjacent balls are of different colours is
 (a) $(2n+2)!$ (b) $(2n+2)! \times 2$ (c) $(n+1)! \times 2$ (d) $2\{(n+1)!\}^2$
213. Sixteen men compete with one another in running, swimming and riding. How many prize lists could be made if there were altogether 6 prizes of different values one for running, 2 for swimming and 3 for riding
 (a) $16^3 \times 15 \times 14^2$ (b) $16^3 \times 15^2 \times 14$ (c) $16 \times 15 \times 14$ (d) None of these
214. The number of ways in which a committee of 6 members can be formed from 8 gentlemen and 4 ladies so that the committee contains at least 3 ladies is
 (a) 252 (b) 672 (c) 444 (d) 420
215. A student is to answer 10 out of 13 questions in an examination such that he must choose at least 4 from the first five questions. The number of choices available to him is
 (a) 140 (b) 196 (c) 280 (d) 346
216. The number of ways of distributing 8 identical balls in 3 distinct boxes so that none of the boxes is empty is [AIEEE 20
 (a) 8C_3 (b) 21 (c) 3^8 (d) 5
217. In the next World Cup of cricket there will be 12 teams, divided equally in two groups. Teams of each group will play a match against each other. From each group 3 top teams will qualify for the next round. In this round each team will play against others once. Four top teams of this round will qualify for the semifinal round, where each team will play against the others once. Two top teams of this round will go to the final round, where they will play the best of three matches. The minimum number of matches in the next World Cup will be
 (a) 54 (b) 53 (c) 38 (d) None of these
218. Let $\vec{a} = \hat{i} + \hat{j} + \hat{k}$ and \vec{r} be a variable vector such that $\vec{r} \cdot \hat{i}, \vec{r} \cdot \hat{j}$ and $\vec{r} \cdot \hat{k}$ are positive integers. If $\vec{r} \cdot \vec{a} \leq 12$ then the number of values of \vec{r} is
 (a) ${}^{12}C_9 - 1$ (b) ${}^{12}C_3$ (c) ${}^{12}C_9$ (d) None of these
219. A man has 7 relatives, 4 women and 3 men. His wife also has 7 relatives, 3 women and 4 men. In how many ways can they invite 3 women and 3 men so that 3 of them are the man's relatives and 3 his wife's
 (a) 485 (b) 484
 (c) 468 (d) None of these
220. A person wishes to make up as many different parties as he can out of his 20 friends such that each party consists of the same number of persons. The number of friends he should invite at a time is
 (a) 5 (b) 10 (c) 8 (d) None of these


221. The number of triangles that can be formed by 5 points in a line and 3 points on a parallel line is
 (a) 8C_3 (b) ${}^8C_3 - {}^5C_3$ (c) ${}^8C_3 - {}^5C_3 - 1$ (d) None of these
222. The maximum number of points of intersection of 20 straight lines will be
 (a) 190 (b) 220 (c) 200 (d) None of these
223. If a polygon has 44 diagonals, then the number of its sides are [MP PET 1998; Pb. CET 1996]
 (a) 7 (b) 11 (c) 8 (d) None of these
224. How many triangles can be drawn by means of 9 non-collinear points
 (a) 84 (b) 72 (c) 144 (d) 126
225. The number of diagonals in a polygon of m sides is [BIT Ranchi 1992; MP PET 1999; UPSEAT 1999; DCE 1999]
 (a) $\frac{1}{2!}m(m-5)$ (b) $\frac{1}{2!}m(m-1)$ (c) $\frac{1}{2!}m(m-3)$ (d) $\frac{1}{2!}m(m-2)$
226. In a plane there are 10 points out of which 4 are collinear, then the number of triangles that can be formed by joining these points are [Rajasthan PET 1990]
 (a) 60 (b) 116 (c) 120 (d) None of these
227. There are 16 points in a plane out of which 6 are collinear, then how many lines can be drawn by joining these points [Rajasthan PET 1986; MP PET 1987]
 (a) 106 (b) 105 (c) 60 (d) 55
228. The number of parallelograms that can be formed from a set of four parallel lines intersecting another set of three parallel lines is [West Bengal JEE 1993; Rajasthan PET 2001]
 (a) 6 (b) 18 (c) 12 (d) 9
229. The greatest possible number of points of intersection of 8 straight lines and 4 circles is
 (a) 32 (b) 64 (c) 76 (d) 104
230. There are 16 points in a plane, no three of which are in a straight line except 8 which are all in a straight line. The number of triangles that can be formed by joining them equals
 (a) 504 (b) 552 (c) 560 (d) 1120
231. Let T_n denote the number of triangles which can be formed using the vertices of a regular polygon of n sides. If $T_{n+1} - T_n = 21$ then n equals
 (a) 5 (b) 7 (c) 6 (d) 4
232. Out of 10 points in a plane 6 are in a straight line. The number of triangles formed by joining these points are [Rajast]
 (a) 100 (b) 150 (c) 120 (d) None of these
233. The number of straight lines that can be formed by joining 20 points no three of which are in the same straight line except 4 of them which are in the same line
 (a) 183 (b) 186 (c) 197 (d) 185
234. There are n distinct points on the circumference of a circle. The number of pentagons that can be formed with these points as vertices is equal to the number of possible triangles. Then the value of n is
 (a) 7 (b) 8 (c) 15 (d) 30
235. Given six line segments of lengths 2, 3, 4, 5, 6, 7 units, the number of triangle that can be formed by these lines is [AMU 2002]
 (a) ${}^6C_3 - 7$ (b) ${}^6C_3 - 6$ (c) ${}^6C_3 - 5$ (d) ${}^6C_3 - 4$
236. A polygon has 35 diagonals, then the number of its sides is
 (a) 8 (b) 9 (c) 10 (d) 11
237. If 5 parallel straight lines are intersected by 4 parallel straight lines, then the number of parallelograms thus formed is

[Kurukshehra CEE 1999]

- (a) 20 (b) 60 (c) 101 (d) 126
238. The maximum number of points of intersection of 8 circles, is
 (a) 16 (b) 24 (c) 28 (d) 56
239. There are 10 points in a plane of which no three points are collinear and 4 points are concyclic. The number of different circles that can be drawn through at least 3 points of these points is
 (a) 116 (b) 120 (c) 117 (d) None of these

Advance Level

240. The sides AB, BC, CA of a triangle ABC have respectively 3, 4 and 5 points lying on them. The number of triangles that can be constructed using these points as vertices is
 (a) 205 (b) 220 (c) 210 (d) None of these
241. Six 'x's have to be placed in the square of the figure such that each row contains at least one x. In how many different ways can this be done



- (a) 28 (b) 27 (c) 26 (d) None of these
242. The straight lines I_1, I_2, I_3 are parallel and lie in the same plane. A total number of m points are taken on I_1 , n points on I_2 , k points on I_3 . The maximum number of triangles formed with vertices at these points are
 [IIT 1993; UPSEAT 2001]
 (a) ${}^{m+n+k}C_3$ (b) ${}^{m+n+k}C_3 - {}^mC_3 - {}^nC_3 - {}^kC_3$ (c) ${}^mC_3 + {}^nC_3 + {}^kC_3$ (d) None of these
243. Six points in a plane be joined in all possible ways by indefinite straight lines, and if no two of them be coincident or parallel, and no three pass through the same point (with the exception of the original 6 points). The number of distinct points of intersection is equal to
 (a) 105 (b) 45 (c) 51 (d) None of these
244. There are m points on a straight line AB and n points on another line AC , none of them being the point A . Triangles are formed from these points as vertices when (i) A is excluded (ii) A is included. Then the ratio of the number of triangles in these two cases is
 (a) $\frac{m+n-2}{m+n}$ (b) $\frac{m+n-2}{2}$ (c) $\frac{m+n-2}{m+n+2}$ (d) None of these
245. There are n straight lines in a plane, no two of which are parallel and no three pass through the same point. Their points of intersection are joined. Then the number of fresh lines thus obtained is
 (a) $\frac{n(n-1)(n-2)}{8}$ (b) $\frac{n(n-1)(n-2)(n-3)}{6}$ (c) $\frac{n(n-1)(n-2)(n-3)}{8}$ (d) None of these
246. A parallelogram is cut by two sets of m lines parallel to its sides. The number of parallelograms thus formed is [Karnat
 (a) $({}^mC_2)^2$ (b) $({}^{m+1}C_2)^2$ (c) $({}^{m+2}C_2)^2$ (d) None of these
247. In a plane there are 37 straight lines of which 13 pass through the point A and 11 pass through the point B . Besides no three lines pass through one point, no line passes through both points A and B and no two are parallel. Then the number of intersection points the lines have is equal to
 (a) 535 (b) 601 (c) 728 (d) None of these
248. There are n points in a plane of which p points are collinear. How many lines can be formed from these points [Karnat
 (a) $({}^{n-p}C_2)$ (b) ${}^nC_2 - {}^pC_2$ (c) ${}^nC_2 - {}^pC_2 + 1$ (d) ${}^nC_2 - {}^pC_2 - 1$
249. ABCD is a convex quadrilateral. 3, 4, 5 and 6 points are marked on the sides AB, BC, CD and DA respectively. The number of triangles with vertices on different sides is
 (a) 270 (b) 220 (c) 282 (d) 342
250. The number of triangles that can be formed joining the angular points of decagon, is

238 Permutations and Combinations

- (a) 30 (b) 45 (c) 90 (d) 120
251. The number of triangles whose vertices are at the vertices of an octagon but none of whose sides happen to come from the sides of the octagon is
 (a) 24 (b) 52 (c) 48 (d) 16
252. In a polygon no three diagonals are concurrent. If the total number of points of intersection of diagonals interior to the polygon be 70, then the number of diagonals of the polygon is
 (a) 20 (b) 28 (c) 8 (d) None of these
253. There are $n(> 2)$ points in each of two parallel lines. Every point on one line is joined to every point on the other line by a line segment drawn within the lines. The number of points (between the lines) in which these segments intersect is
 (a) ${}^{2n}C_2 - 2 \cdot {}^nC_1 + 2$ (b) ${}^{2n}C_2 - 2 \cdot {}^nC_2$ (c) ${}^nC_2 \times {}^nC_2$ (d) None of these
254. m parallel lines in a plane are intersected by a family of n parallel lines. The total number of parallelograms so formed is
 (a) $\frac{(m-1)(n-1)}{4}$ (b) $\frac{mn}{4}$ (c) $\frac{m(m-1)n(n-1)}{2}$ (d) $\frac{mn(m-1)(n-1)}{4}$
255. There are three coplanar parallel lines. If any p points are taken on each of the lines, the maximum number of triangles with vertices at these points
 (a) $3p^2(p-1)+1$ (b) $3p^2(p-1)$ (c) $p^2(4p-3)$ (d) None of these

Multinomial Theorem, Number of Divisors and Miscellaneous

Basic Level

256. If ${}^nP_r = 720 \cdot {}^nC_r$, then r is equal to [Kerala (Engg.) 2001]
 (a) 6 (b) 5 (c) 4 (d) 7
257. If ${}^nP_4 = 24 \cdot {}^nC_5$, then the value of n is [Karnataka CET 2001]
 (a) 10 (b) 15 (c) 9 (d) 5
258. If ${}^nP_3 + {}^nC_{n-2} = 14n$, then $n =$
 (a) 5 (b) 6 (c) 8 (d) 10
259. If ${}^nP_4 = 30 \cdot {}^nC_5$, then $n =$ [MP PET 1995]
 (a) 6 (b) 7 (c) 8 (d) 9
260. If ${}^nP_r = 840, {}^nC_r = 35$, then n is equal to [EAMCET 1986]
 (a) 1 (b) 3 (c) 5 (d) 7
261. If ${}^nC_r = {}^nC_{r-1}$ and ${}^nP_r = {}^nP_{r+1}$, then the value of n is
 (a) 3 (b) 4 (c) 2 (d) 5
262. ${}^nP_r \div {}^nC_r =$ [MP PET 1984]
 (a) $n!$ (b) $(n-r)!$ (c) $\frac{1}{r!}$ (d) $r!$
263. If a, b, c, d, e are prime integers, then the number of divisors of ab^2c^2de excluding 1 as a factor, is
 (a) 94 (b) 72 (c) 36 (d) 71
264. The number of proper divisors of 1800 which are also divisible by 10, is
 (a) 18 (b) 34 (c) 27 (d) None of these
265. The number of odd proper divisors of $3^p \cdot 6^m \cdot 21^n$ is
 (a) $(p+1)(m+1)(n+1) - 2$ (b) $(p+m+n+1)(n+1) - 1$ (c) $(p+1)(m+1)(n+1) - 1$ (d) None of these
266. The number of proper divisors of $2^p \cdot 6^q \cdot 15^r$ is

- (a) $(p+q+1)(q+r+1)(r+1)$ (b) $(p+q+1)(q+r+1)(r+1)-2$
 (c) $(p+q)(q+r)r-2$ (d) None of these

267. The number of even proper divisors of 1008 is

- (a) 23 (b) 24 (c) 22 (d) None of these

Advance Level

268. The number of numbers of 4 digits which are not divisible by 5 are

- (a) 7200 (b) 3600 (c) 14400 (d) 1800

269. A set contains $(2n+1)$ elements. The number of subsets of the set which contain at most n elements is

- (a) 2^n (b) 2^{n+1} (c) 2^{n-1} (d) 2^{2n}

270. The number of ways in which an examiner can assign 30 marks to 8 questions, awarding not less than 2 marks to any question is

- (a) ${}^{21}C_7$ (b) ${}^{30}C_{16}$ (c) ${}^{21}C_{16}$ (d) None of these

271. In a certain test a_i students gave wrong answers to at least i questions where $i=1, 2, 3, \dots, k$. No student gave more than k wrong answers. The total numbers of wrong answers given is

- (a) $a_1 + 2a_2 + 3a_3 + \dots + ka_k$ (b) $a_1 + a_2 + a_3 + \dots + a_k$
 (c) Zero (d) None of these

272. Number of ways of selection of 8 letters from 24 letters of which 8 are a , 8 are b and the rest unlike is given by

- (a) 2^7 (b) $8 \cdot 2^8$ (c) $10 \cdot 2^7$ (d) None of these

273. The number of ordered triplets of positive integers which are solutions of the equation $x+y+z=100$ is

- (a) 6005 (b) 4851 (c) 5081 (d) None of these

274. A person goes in for an examination in which there are four papers with a maximum of m marks from each paper. The number of ways in which one can get $2m$ marks is

- (a) ${}^{2m+3}C_3$ (b) $\frac{1}{3}(m+1)(2m^2+4m+1)$ (c) $\frac{1}{3}(m+1)(2m^2+4m+3)$ (d) None of these

275. The sum $\sum_{i=0}^m \binom{10}{i} \binom{20}{m-i}$, (where $\binom{p}{q} = 0$ if $p < q$), is maximum when m is

[IIT Screening 2002]

- (a) 5 (b) 15 (c) 10 (d) 20

276. The number of divisors of the form $4n+2$ ($n \geq 0$) of the integer 240 is

- (a) 4 (b) 8 (c) 10 (d) 3



Answer Sheet

Permutations and

Assignment (Basic and Advance Level)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
c	c	d	a	b	d	a	d	d	a	a	d	d	d	a	b	c	a	a	a
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
b	a	c	b	c	c	a	a	a	b	b	c	b	a	c	b	a	c	c	d
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
c	d	d	b	b	b	a	c	a	a	c	a	a	b	c	c	b	a	b	b
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
c	b	a	a	c	c	a	b	b	d	c	b	a	c	a	b	b	c	d	b
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
c	a	a	c	c	b	d	b	a	a	c	a	c	c	d	b	d	a	d	c
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
b	c	c	a	d	b	b	d	a	b	a	a	a	c	b	b	a	c	b	b
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
c	d	a	b	d	a	d	b	a	c	d	c	d	a	a	b	b	d	a	a
141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
d	d	b	d	c	b	a	b	c	b	b	b	b	b	b	c	a	d	b	c
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
b	a	c	b	b	c	b	a	c	c	b	d	c	a	c	c	a	c	d	a
181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
a	b	a	c	c	c	b	c	c	b	b	b	b	c	b	b	b	a	a	c
201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220
c	a	b	c	b	d	d	b	d	b	b	d	b	a	b	b	b	b,c	a	b
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
c	a	b	a	c	b	a	b	d	a	b	a	d	b	b	c	b	d	c	a
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260
c	b	c	a	c	c	a	c	d	d	d	a	c	d	c	a	c	a	c	d
261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276				
a	d	d	a	b	b	a	a	d	a	b	c	b	c	b	a				