

# Ordinary Thinking

## Objective Questions

### Units

- Light year is a unit of  
[MP PMT 1989; CPMT 1991; AFMC 1991,2005]  
(a) Time (b) Mass  
(c) Distance (d) Energy
- The magnitude of any physical quantity  
(a) Depends on the method of measurement  
(b) Does not depend on the method of measurement  
(c) Is more in SI system than in CGS system  
(d) Directly proportional to the fundamental units of mass, length and time
- Which of the following is not equal to *watt*  
[SCRA 1991; CPMT 1990]  
(a) *Joule/second* (b) *Ampere × volt*  
(c)  $(\text{Ampere})^2 \times \text{ohm}$  (d) *Ampere/volt*
- Newton–*second* is the unit of  
[CPMT 1984, 85; MP PMT 1984]  
(a) Velocity (b) Angular momentum  
(c) Momentum (d) Energy
- Which of the following is not represented in correct unit  
[NCERT 1984; MNR 1995]  
(a)  $\frac{\text{Stress}}{\text{Strain}} = \text{N/m}^2$  (b) Surface tension =  $\text{N/m}$   
(c) Energy =  $\text{kg}\cdot\text{m}/\text{sec}$  (d) Pressure =  $\text{N/m}^2$
- One *second* is equal to [MNR 1986]  
(a) 1650763.73 time periods of *Kr* clock  
(b) 652189.63 time periods of *Kr* clock  
(c) 1650763.73 time periods of *Cs* clock  
(d) 9192631770 time periods of *Cs* clock
- One nanometre is equal to [SCRA 1986; MNR 1986]  
(a)  $10^9 \text{ mm}$  (b)  $10^{-6} \text{ cm}$   
(c)  $10^{-7} \text{ cm}$  (d)  $10^{-9} \text{ cm}$
- A *micron* is related to centimetre as  
(a)  $1 \text{ micron} = 10^{-8} \text{ cm}$  (b)  $1 \text{ micron} = 10^{-6} \text{ cm}$   
(c)  $1 \text{ micron} = 10^{-5} \text{ cm}$  (d)  $1 \text{ micron} = 10^{-4} \text{ cm}$
- The unit of power is [CPMT 1985]  
(a) *Joule*  
(b) *Joule per second* only  
(c) *Joule per second* and *watt* both  
(d) Only *watt*
- A suitable unit for gravitational constant is [MNR 1988]  
(a)  $\text{kg}\cdot\text{msec}^{-1}$  (b)  $\text{N m}^{-1} \text{ sec}$   
(c)  $\text{N m}^2 \text{ kg}^{-2}$  (d)  $\text{kgmsec}^{-1}$
- SI unit of pressure is [EAMCET 1980; DPMT 1984; CBSE PMT 1988; NCERT 1976; AFMC 1991; USSR MEE 1991]  
(a) *Pascal* (b) *Dynes/cm}^2*  
(c) *cm of Hg* (d) *Atmosphere*
- The unit of angular acceleration in the SI system is [SCRA 1980; EAMCET 1981]  
(a)  $\text{N kg}^{-1}$  (b)  $\text{m s}^2$   
(c)  $\text{rad s}^{-2}$  (d)  $\text{m kg}^{-1} \text{ K}$
- The unit of Stefan's constant  $\sigma$  is [AFMC 1986; MP PET 1992; MP PMT 1992; CBSE PMT 2002]  
(a)  $\text{W m}^{-2} \text{ K}^{-1}$  (b)  $\text{W m}^2 \text{ K}^{-4}$   
(c)  $\text{W m}^{-2} \text{ K}^{-4}$  (d)  $\text{W m}^{-2} \text{ K}^4$
- Which of the following is not a unit of energy [AIIMS 1985]  
(a)  $\text{W s}$  (b)  $\text{kg}\cdot\text{m}/\text{sec}$   
(c)  $\text{N}\cdot\text{m}$  (d) *Joule*
- In  $S = a + bt + ct^2$ . *S* is measured in metres and *t* in *seconds*. The unit of *c* is [MP PMT 1993]  
(a) None (b) *m*  
(c)  $\text{ms}^{-1}$  (d)  $\text{ms}^{-2}$
- Joule-second* is the unit of [CPMT 1990; CBSE PMT 1993; BVP 2003]  
(a) Work (b) Momentum  
(c) Pressure (d) Angular momentum
- Unit of energy in SI system is [CPMT 1971; NCERT 1976]  
(a) *Erg* (b) *Calorie*

- (c) *Joule* (d) *Electron volt* (d) *1 m/sec*
18. A cube has numerically equal volume and surface area. The volume of such a cube is [CPMT 1971, 74]  
 (a) 216 *units* (b) 1000 *units*  
 (c) 2000 *units* (d) 3000 *units*
19. Wavelength of ray of light is 0.00006 *m*. It is equal to [CPMT 1977]  
 (a) 6 *microns* (b) 60 *microns*  
 (c) 600 *microns* (d) 0.6 *microns*
20. *Electron volt* is a unit of [MP PMT 1993]  
 (a) Charge (b) Potential difference  
 (c) Momentum (d) Energy
21. Temperature can be expressed as a derived quantity in terms of any of the following [MP PET 1993; UPSEAT 2001]  
 (a) Length and mass  
 (b) Mass and time  
 (c) Length, mass and time  
 (d) None of these
22. Unit of power is [NCERT 1972; CPMT 1971; DCE 1999]  
 (a) *Kilowatt* (b) *Kilowatt-hour*  
 (c) *Dyne* (d) *Joule*
23. Density of wood is 0.5 *gm/cc* in the CGS system of units. The corresponding value in MKS units is [CPMT 1983; NCERT 1973; JIPMER 1993]  
 (a) 500 (b) 5  
 (c) 0.5 (d) 5000
24. Unit of energy is [NCERT 1974; CPMT 1975]  
 (a) *J/sec* (b) *Watt-day*  
 (c) *Kilowatt* (d) *gm-cm/sec<sup>2</sup>*
25. Which is the correct unit for measuring nuclear radii  
 (a) *Micron* (b) *Millimetre*  
 (c) *Angstrom* (d) *Fermi*
26. One Mach number is equal to  
 (a) Velocity of light  
 (b) Velocity of sound (332 *m/sec*)  
 (c) 1 *km/sec*
27. The unit for nuclear dose given to a patient is  
 (a) *Fermi* (b) Rutherford  
 (c) Curie (d) Roentgen
28. *Volt/metre* is the unit of [AFMC 1991; CPMT 1984]  
 (a) Potential (b) Work  
 (c) Force (d) Electric intensity
29. *Newton/metre<sup>2</sup>* is the unit of [CPMT 1985; ISM Dhanbad 1994; AFMC 1995]  
 (a) Energy (b) Momentum  
 (c) Force (d) Pressure
30. The unit of surface tension in SI system is [MP PMT 1984; AFMC 1986; CPMT 1985, 87; CBSE PMT 1993; KCET 1999; DCE 2000, 01]  
 (a) *Dyne/cm<sup>2</sup>* (b) *Newton/m*  
 (c) *Dyne/cm* (d) *Newton/m<sup>2</sup>*
31. The unit of reduction factor of tangent galvanometer is [CPMT 1987; AFMC 2004]  
 (a) *Ampere* (b) *Gauss*  
 (c) *Radian* (d) None of these
32. The unit of self inductance of a coil is [MP PMT 1983, 92; SCRA 1986; CBSE PMT 1993; CPMT 1984, 85, 87]  
 (a) *Farad* (b) *Henry*  
 (c) *Weber* (d) *Tesla*
33. *Henry/ohm* can be expressed in [CPMT 1987]  
 (a) *Second* (b) *Coulomb*  
 (c) *Mho* (d) *Metre*
34. The SI unit of momentum is [SCRA 1986, 89; CPMT 1987]  
 (a)  $\frac{kg}{m}$  (b)  $\frac{kg \cdot m}{sec}$   
 (c)  $\frac{kg \cdot m^2}{sec}$  (d)  $kg \times Newton$
35. The velocity of a particle depends upon as  $v = a + bt + ct^2$ ; if the velocity is in *m/sec*, the unit of *a* will be [CPMT 1990]  
 (a) *m/sec* (b) *m/sec<sup>2</sup>*  
 (c) *m<sup>2</sup>/sec* (d) *m/sec<sup>3</sup>*
36. One million *electron volt* (1 *MeV*) is equal to [JIPMER 1993, 97]  
 (a)  $10^5 eV$  (b)  $10^6 eV$

- (c)  $10^4 eV$  (d)  $10^7 eV$
37.  $Erg - m^{-1}$  can be the unit of measure for [DCE 1993]  
 (a) Force (b) Momentum  
 (c) Power (d) Acceleration
38. The unit of potential energy is [AFMC 1991]  
 (a)  $gcm/sec^2$  (b)  $gcm/sec^2$   
 (c)  $gcm^2/sec$  (d)  $gcm/sec$
39. Which of the following represents a volt [CPMT 1990; AFMC 1991]  
 (a) Joule/second (b) Watt/Ampere  
 (c) Watt/Coulomb (d) Coulomb/Joule
40. Kilowatt-hour is a unit of [NCERT 1975; AFMC 1991]  
 (a) Electrical charge (b) Energy  
 (c) Power (d) Force
41. What is the SI unit of permeability [CBSE PMT 1993]  
 (a) Henry per metre  
 (b) Tesla metre per ampere  
 (c) Weber per ampere metre  
 (d) All the above units are correct
42. In which of the following systems of unit, Weber is the unit of magnetic flux [SCRA 1991; CBSE PMT 1993; DPMT 2005]  
 (a) CGS (b) MKS  
 (c) SI (d) None of these
43. Tesla is a unit for measuring [CBSE PMT 1993]  
 (a) Magnetic moment (b) Magnetic induction  
 (c) Magnetic intensity (d) Magnetic pole strength
44. If the unit of length and force be increased four times, then the unit of energy is [Kerala PMT 2005]  
 (a) Increased 4 times (b) Increased 8 times  
 (c) Increased 16 times (d) Decreased 16 times
45. Oersted is a unit of [SCRA 1989]  
 (a) Dip (b) Magnetic intensity  
 (c) Magnetic moment (d) Pole strength
46. Ampere-hour is a unit of [SCRA 1980, 89; ISM Dhanbad 1994]  
 (a) Quantity of electricity  
 (b) Strength of electric current  
 (c) Power
- (d) Energy
47. The unit of specific resistance is [SCRA 1989; MP PET 1984; CPMT 1975]  
 (a)  $Ohmcm^2$  (b)  $Ohmcm$   
 (c)  $Ohm-cm$  (d)  $(Ohm-cm)^{-1}$
48. The binding energy of a nucleon in a nucleus is of the order of a few [SCRA 1979]  
 (a) eV (b) Ergs  
 (c) MeV (d) Volts
49. Parsec is a unit of [SCRA 1986; BVP 2003; AIIMS 2005]  
 (a) Distance (b) Velocity  
 (c) Time (d) Angle
50. If  $u_1$  and  $u_2$  are the units selected in two systems of measurement and  $n_1$  and  $n_2$  their numerical values, then [SCRA 1986]  
 (a)  $n_1 u_1 = n_2 u_2$  (b)  $n_1 u_1 + n_2 u_2 = 0$   
 (c)  $n_1 n_2 = u_1 u_2$  (d)  $(n_1 + u_1) = (n_2 + u_2)$
51. 1 eV is [SCRA 1986]  
 (a) Same as one joule (b)  $1.6 \times 10^{-19} J$   
 (c) 1V (d)  $1.6 \times 10^{-19} C$
52. 1kWh = [AFMC 1986; SCRA 1986, 91]  
 (a) 1000W (b)  $36 \times 10^5 J$   
 (c) 1000J (d) 3600 J
53. Universal time is based on [SCRA 1989]  
 (a) Rotation of the earth on its axis  
 (b) Earth's orbital motion around the earth  
 (c) Vibrations of cesium atom  
 (d) Oscillations of quartz crystal
54. The nuclear cross-section is measured in barn, it is equal to  
 (a)  $10^{-20} m^2$  (b)  $10^{-30} m^2$   
 (c)  $10^{-28} m^2$  (d)  $10^{-14} m^2$
55. Unit of moment of inertia in MKS system [MP PMT 1984]  
 (a)  $kg \times cm^2$  (b)  $kgcm^2$   
 (c)  $kg \times m^2$  (d)  $Joule \times m$
56. Unit of stress is [MP PMT 1984]  
 (a) N/m (b) N-m  
 (c)  $N/m^2$  (d)  $N-m^2$

57. Unit of Stefan's constant is [MP PMT 1989]  
 (a)  $J s^{-1}$  (b)  $J m^{-2} s^{-1} K^{-4}$   
 (c)  $J m^{-2}$  (d)  $J s$
58. Unit of magnetic moment is [MP PET 1989]  
 (a) *Ampere-metre<sup>2</sup>* (b) *Ampere-metre*  
 (c) *Weber-metre<sup>2</sup>* (d) *Weber/metre*
59. Curie is a unit of [CBSE PMT 1992; CPMT 1992]  
 (a) Energy of  $\gamma$ -rays (b) Half life  
 (c) Radioactivity (d) Intensity of  $\gamma$ -rays
60. Hertz is the unit for [MNR 1983; SCRA 1983; RPMT 1999]  
 (a) Frequency (b) Force  
 (c) Electric charge (d) Magnetic flux
61. One pico *Farad* is equal to  
 (a)  $10^{-24} F$  (b)  $10^{-18} F$   
 (c)  $10^{-12} F$  (d)  $10^{-6} F$
62. In SI, *Henry* is the unit of [MP PET 1984; CBSE PMT 1993; DPMT 1984]  
 (a) Self inductance (b) Mutual inductance  
 (c) (a) and (b) both (d) None of the above
63. The unit of *e.m.f.* is [CPMT 1986; AFMC 1986]  
 (a) *Joule* (b) *Joule-Coulomb*  
 (c) *Volt-Coulomb* (d) *Joule/Coulomb*
64. Which of the following is not the unit of time [CPMT 1991; NCERT 1990; DPMT 1987; AFMC 1996]  
 (a) *Micro second* (b) *Leap year*  
 (c) *Lunar months* (d) *Parallactic second*  
 (e) *Solar day*
65. Unit of self inductance is [MP PET 1982]  
 (a)  $\frac{\text{Newton-second}}{\text{Coulomb} \times \text{Ampere}}$  (b)  $\frac{\text{Joule/Coulomb} \times \text{Second}}{\text{Ampere}}$   
 (c)  $\frac{\text{Volt} \times \text{metre}}{\text{Coulomb}}$  (d)  $\frac{\text{Newton} \times \text{metre}}{\text{Ampere}}$
66. To determine the Young's modulus of a wire, the formula is  $Y = \frac{F}{A} \times \frac{L}{\Delta L}$ ; where  $L$  = length,  $A$  = area of cross-section of the wire,  $\Delta L$  = change in length of the wire when stretched with a force  $F$ . The conversion factor to change it from CGS to MKS system is [MP PET 1983]  
 (a) 1 (b) 10
- (c) 0.1 (d) 0.01
67. Young's modulus of a material has the same units as [MP PMT 1994]  
 (a) Pressure (b) Strain  
 (c) Compressibility (d) Force
68. One yard in SI units is equal [MP PMT 1995]  
 (a) 1.9144 *metre* (b) 0.9144 *metre*  
 (c) 0.09144 *kilometre* (d) 1.0936 *kilometre*
69. Which of the following is smallest unit [AFMC 1996]  
 (a) *Millimetre* (b) *Angstrom*  
 (c) *Fermi* (d) *Metre*
70. Which one of the following pairs of quantities and their units is a proper match  
 (a) Electric field – *Coulomb/m*  
 (b) Magnetic flux – *Weber*  
 (c) Power – *Farad*  
 (d) Capacitance – *Henry*
71. The units of modulus of rigidity are [MP PMT 1997]  
 (a)  $N-m$  (b)  $N/m$   
 (c)  $N-m^2$  (d)  $N/m^2$
72. The unit of absolute permittivity is [CMEET Bihar 1995]  
 (a)  $Fm$  (*Farad-meter*) (b)  $Fm^{-1}$  (*Farad/meter*)  
 (c)  $Fm^2$  (*Farad/metre<sup>2</sup>*) (d)  $F$  (*Farad*)  
 (e) None of these
73. Match List-I with List-II and select the correct answer using the codes given below the lists [SCRA 1994]
- |                    |   |
|--------------------|---|
| List-I             | List-II                                       |
| I. <i>Joule</i>    | A. <i>Henry</i> $\times$ <i>Amp/sec</i>       |
| II. <i>Watt</i>    | B. <i>Farad</i> $\times$ <i>Volt</i>          |
| III. <i>Volt</i>   | C. <i>Coulomb</i> $\times$ <i>Volt</i>        |
| IV. <i>Coulomb</i> | D. <i>Oersted</i> $\times$ <i>cm</i>          |
|                    | E. <i>Amp</i> $\times$ <i>Gauss</i>           |
|                    | F. <i>Amp<sup>2</sup></i> $\times$ <i>Ohm</i> |
- Codes:  
 (a) I – A, II – F, III – E, IV – D  
 (b) I – C, II – F, III – A, IV – B  
 (c) I – C, II – F, III – A, IV – E

- (d) I - B, II - F, III - A, IV - C
74. Which relation is wrong [RPMT 1997]  
 (a) 1 Calorie = 4.18 Joules  
 (b)  $1 \text{ \AA} = 10^{-10} \text{ m}$   
 (c) 1 MeV =  $1.6 \times 10^{-13}$  Joules  
 (d) 1 Newton =  $10^{-5}$  Dynes
75. If  $x = at + bt^2$ , where  $x$  is the distance travelled by the body in kilometres while  $t$  is the time in seconds, then the units of  $b$  are [CBSE PMT 1993]  
 (a)  $\text{km/s}$  (b)  $\text{km-s}$   
 (c)  $\text{km/s}^2$  (d)  $\text{km-s}^2$
76. The equation  $\left(P + \frac{a}{V^2}\right)(V - b)$  constant. The units of  $a$  are [MNR 1995; AFMC 1995]  
 (a)  $\text{Dyne} \times \text{cm}^5$  (b)  $\text{Dyne} \times \text{cm}^4$   
 (c)  $\text{Dyne} \text{ cm}^3$  (d)  $\text{Dyne} \text{ cm}^2$
77. Which of the following quantity is expressed as force per unit area [AFMC 1995]  
 (a) Work (b) Pressure  
 (c) Volume (d) Area
78. Match List-I with List-II and select the correct answer by using the codes given below the lists [NDA 1995]
- |                                      |                |
|--------------------------------------|----------------|
| List-I                               | List-II        |
| (a) Distance between earth and stars | 1. Microns     |
| (b) Inter-atomic distance in a solid | 2. Angstroms   |
| (c) Size of the nucleus              | 3. Light years |
| (d) Wavelength of infrared laser     | 4. Fermi       |
|                                      | 5. Kilometres  |
- Codes
- |       |   |   |   |       |   |   |   |
|-------|---|---|---|-------|---|---|---|
| a     | b | c | d | a     | b | c | d |
| (a) 5 | 4 | 2 | 1 | (b) 3 | 2 | 4 | 1 |
| (c) 5 | 2 | 4 | 3 | (d) 3 | 4 | 1 | 2 |
79. Unit of impulse is [CPMT 1997]  
 (a) Newton (b)  $\text{kg-m}$   
 (c)  $\text{kg-mls}$  (d) Joule
80. Which is not a unit of electric field [UPSEAT 1999]  
 (a)  $\text{NC}^{-1}$  (b)  $\text{Vm}^{-1}$   
 (c)  $\text{JC}^{-1}$  (d)  $\text{JC}^{-1}\text{m}^{-1}$
81. The correct value of  $0^\circ \text{C}$  on the Kelvin scale is [UPSEAT 2000]  
 (a) 273.15K (b) 272.85K  
 (c) 273K (d) 273.2K
82. 'Torr' is the unit of [RPMT 1999, 2000]  
 (a) Pressure (b) Volume  
 (c) Density (d) Flux
83. Which of the following is a derived unit [BHU 2000]  
 (a) Unit of mass (b) Unit of length  
 (c) Unit of time (d) Unit of volume
84.  $\text{Dyne/cm}^2$  is not a unit of [RPET 2000]  
 (a) Pressure (b) Stress  
 (c) Strain (d) Young's modulus
85. The units of angular momentum are [MP PMT 2000]  
 (a)  $\text{kg-m}^2/\text{s}^2$  (b) Joule-s  
 (c) Joules (d)  $\text{kg-m-s}^2$
86. Which of the following is not the unit of energy [MP PET 2000]  
 (a) Calorie (b) Joule  
 (c) Electron volt (d) Watt
87. Which of the following is not a unit of time [UPSEAT 2001]  
 (a) Leap year (b) Micro second  
 (c) Lunar month (d) Light year
88. The S.I. unit of gravitational potential is [AFMC 2001]  
 (a) J (b)  $\text{Jkg}^{-1}$   
 (c)  $\text{Jkg}$  (d)  $\text{Jkg}^{-2}$
89. Which one of the following is not a unit of young's modulus [KCET 2005]  
 (a)  $\text{Nm}^{-1}$  (b)  $\text{Nm}^2$   
 (c)  $\text{Dyne cm}^{-2}$  (d) Mega Pascal
90. In C.G.S. system the magnitude of the force is 100 dynes. In another system where the fundamental physical quantities are kilogram, metre and minute, the magnitude of the force is [EAMCET 2001]

91. The unit of  $L/R$  is (where  $L$  = inductance and  $R$  = resistance) [Orissa JEE 2002]  
 (a) 0.036 (b) 0.36  
 (c) 3.6 (d) 36
92. Which is different from others by units [Orissa JEE 2002]  
 (a) Phase difference (b) Mechanical equivalent  
 (c) Loudness of sound (d) Poisson's ratio
93. Length cannot be measured by [AIIMS 2002]  
 (a) Fermi (b) Debye  
 (c) Micron (d) Light year
94. The value of Planck's constant is [CBSE PMT 2002]  
 (a)  $6.63 \times 10^{-34} \text{ Jsec}$  (b)  $6.63 \times 10^{34} \text{ Jsec}$   
 (c)  $6.63 \times 10^{-34} \text{ kgm}^2$  (d)  $6.63 \times 10^{34} \text{ kgsec}$
95. A physical quantity is measured and its value is found to be  $nu$  where  $n$  = numerical value and  $u$  = unit. Then which of the following relations is true [RPET 2003]  
 (a)  $n \propto u^2$  (b)  $n \propto u$   
 (c)  $n \propto \sqrt{u}$  (d)  $n \propto \frac{1}{u}$
96. Faraday is the unit of [AFMC 2003]  
 (a) Charge (b) emf  
 (c) Mass (d) Energy
97. Candela is the unit of [UPSEAT 1999; CPMT 2003]  
 (a) Electric intensity (b) Luminous intensity  
 (c) Sound intensity (d) None of these
98. The unit of reactance is [MP PET 2003]  
 (a) Ohm (b) Volt  
 (c) Mho (d) Newton
99. The unit of Planck's constant is [RPMT 1999; MP PET 2003; Pb. PMT 2004]  
 (a) Joule (b) Joule/s  
 (c) Joule/m (d) Joule-s
100. Number of base SI units is [MP PET 2003]  
 (a) 4 (b) 7  
 (c) 3 (d) 5
101. SI unit of permittivity is [KCET 2004]  
 (a)  $C^2 m^2 N^{-1}$  (b)  $C^{-1} m^2 N^{-2}$   
 (c)  $C^2 m^2 N^2$  (d)  $C^2 m^{-2} N^{-1}$
102. Which does not has the same unit as others [Orissa PMT 2004]  
 (a) Watt-sec (b) Kilowatt-hour  
 (c) eV (d) J-sec
103. Unit of surface tension is [Orissa PMT 2004]  
 (a)  $Nm^{-1}$  (b)  $Nm^{-2}$   
 (c)  $N^2 m^{-1}$  (d)  $Nm^{-3}$
104. Which of the following system of units is not based on units of mass, length and time alone [Kerala PMT 2004]  
 (a) SI (b) MKS  
 (c) FPS (d) CGS
105. The unit of the coefficient of viscosity in S.I. system is [J & K CET 2004]  
 (a)  $ml \text{ kg-s}$  (b)  $m-s/kg^2$   
 (c)  $kg/m-s^2$  (d)  $kg/m-s$
106. The unit of Young's modulus is [Pb. PET 2001]  
 (a)  $Nm^2$  (b)  $Nm^{-2}$   
 (c)  $Nm$  (d)  $Nm^{-1}$
107. One femtometer is equivalent to [DCE 2004]  
 (a)  $10^{15} \text{ m}$  (b)  $10^{-15} \text{ m}$   
 (c)  $10^{-12} \text{ m}$  (d)  $10^{12} \text{ m}$
108. How many wavelength of  $Kr^{86}$  are there in one metre [MNR 1985; UPSEAT 2000; Pb. PET 2004]  
 (a) 1553164.13 (b) 1650763.73  
 (c) 652189.63 (d) 2348123.73
109. Which of the following pairs is wrong [AFMC 2003]  
 (a) Pressure-Baromter  
 (b) Relative density-Pyrometer  
 (c) Temperature-Thermometer  
 (d) Earthquake-Seismograph

**Dimensions**

1. Select the pair whose dimensions are same  
 (a) Pressure and stress

- (b) Stress and strain  
(c) Pressure and force  
(d) Power and force
2. Dimensional formula  $ML^{-1}T^{-2}$  does not represent the physical quantity  
[Manipal MEE 1995]  
(a) Young's modulus of elasticity  
(b) Stress  
(c) Strain  
(d) Pressure
3. Dimensional formula  $ML^2T^{-3}$  represents  
[EAMCET 1981; MP PMT 1996, 2001]  
(a) Force (b) Power  
(c) Energy (d) Work
4. The dimensions of *calorie* are  
[CPMT 1985]  
(a)  $ML^2T^{-2}$  (b)  $MLT^{-2}$   
(c)  $ML^2T^{-1}$  (d)  $ML^2T^{-3}$
5. Whose dimensions is  $ML^2T^{-1}$   
[CPMT 1989]  
(a) Torque (b) Angular momentum  
(c) Power (d) Work
6. If  $L$  and  $R$  are respectively the inductance and resistance, then the dimensions of  $\frac{L}{R}$  will be  
[CPMT 1986; CBSE PMT 1988; Roorkee 1995; MP PET/PMT 1998; DCE 2002]  
(a)  $M^0L^0T^{-1}$   
(b)  $M^0LT^0$   
(c)  $M^0L^0T$   
(d) Cannot be represented in terms of  $M, L$  and  $T$
7. Which pair has the same dimensions  
[EAMCET 1982; CPMT 1984, 85; Pb. PET 2002; MP PET 1985]  
(a) Work and power  
(b) Density and relative density  
(c) Momentum and impulse  
(d) Stress and strain
8. If  $C$  and  $R$  represent capacitance and resistance respectively, then the dimensions of  $RC$  are  
[CPMT 1981, 85; CBSE PMT 1992, 95; Pb. PMT 1999]  
(a)  $M^0L^0T^2$  (b)  $M^0L^0T$   
(c)  $ML^{-1}$  (d) None of the above
9. Dimensions of one or more pairs are same. Identify the pairs [IIT 1986]  
(a) Torque and work  
(b) Angular momentum and work  
(c) Energy and Young's modulus  
(d) Light year and wavelength
10. Dimensional formula for latent heat is  
[MNR 1987; CPMT 1978, 86; IIT 1983, 89; RPET 2002]  
(a)  $M^0L^2T^{-2}$  (b)  $MLT^{-2}$   
(c)  $ML^2T^{-2}$  (d)  $ML^2T^{-1}$
11. Dimensional formula for volume elasticity is  
[MP PMT 1991, 2002; CPMT 1991; MNR 1986]  
(a)  $M^1L^{-2}T^{-2}$  (b)  $M^1L^{-3}T^{-2}$   
(c)  $M^1L^2T^{-2}$  (d)  $M^1L^{-1}T^{-2}$
12. The dimensions of universal gravitational constant are  
[MP PMT 1984, 87, 97, 2000; CBSE PMT 1988, 92; 2004 MP PET 1984, 96, 99; MNR 1992; DPMT 1984; CPMT 1978, 84, 89, 90, 92, 96; AFMC 1999; NCERT 1975; DPET 1993; AIIMS 2000; RPET 2001; Pb. PMT 2002, 03; UPSEAT 1999; BCECE 2003, 05;]  
(a)  $M^{-2}L^2T^{-2}$  (b)  $M^{-1}L^3T^{-2}$   
(c)  $ML^{-1}T^{-2}$  (d)  $ML^2T^{-2}$
13. The dimensional formula of angular velocity is  
[JIPMER 1993; AFMC 1996; AIIMS 1998]  
(a)  $M^0L^0T^{-1}$  (b)  $MLT^{-1}$   
(c)  $M^0L^0T^1$  (d)  $ML^0T^{-2}$
14. The dimensions of power are  
[CPMT 1974, 75; SCRA 1989]  
(a)  $M^1L^2T^{-3}$  (b)  $M^2L^1T^{-2}$   
(c)  $M^1L^2T^{-1}$  (d)  $M^1L^1T^{-2}$
15. The dimensions of couple are [CPMT 1972; JIPMER 1993]  
(a)  $ML^2T^{-2}$  (b)  $MLT^{-2}$   
(c)  $ML^{-1}T^{-3}$  (d)  $ML^{-2}T^{-2}$
16. Dimensional formula for angular momentum is  
[CBSE PMT 1988, 92; EAMCET 1995; DPMT 1987; CMC Vellore 1982; CPMT 1973, 82, 86; MP PMT 1987; BHU 1995; IIT 1983; Pb. PET 2000]  
(a)  $ML^2T^{-2}$  (b)  $ML^2T^{-1}$   
(c)  $MLT^{-1}$  (d)  $M^0L^2T^{-2}$
17. The dimensional formula for impulse is  
[EAMCET 1981; CBSE PMT 1991; CPMT 1978;

- AFMC 1998; BCECE 2003]
- (a)  $MLT^{-2}$  (b)  $MLT^{-1}$   
(c)  $ML^2T^{-1}$  (d)  $M^2LT^{-1}$
18. The dimensional formula for the modulus of rigidity is  
[MNR 1984; IIT 1982; MP PET 2000]
- (a)  $ML^2T^{-2}$  (b)  $ML^{-1}T^{-3}$   
(c)  $ML^{-2}T^{-2}$  (d)  $ML^{-1}T^{-2}$
19. The dimensional formula for *r.m.s* (root mean square) velocity is
- (a)  $M^0LT^{-1}$  (b)  $M^0L^0T^{-2}$   
(c)  $M^0L^0T^{-1}$  (d)  $MLT^{-3}$
20. The dimensional formula for Planck's constant ( $h$ ) is  
[DPMT 1987; MP PMT 1983, 96; IIT 1985; MP PET 1995; AFMC 2003; RPMT 1999; Kerala PMT 2002]
- (a)  $ML^{-2}T^{-3}$  (b)  $ML^2T^{-2}$   
(c)  $ML^2T^{-1}$  (d)  $ML^{-2}T^{-2}$
21. Out of the following, the only pair that does not have identical dimensions is [MP PET/PMT 1998; BHU 1997]
- (a) Angular momentum and Planck's constant  
(b) Moment of inertia and moment of a force  
(c) Work and torque  
(d) Impulse and momentum
22. The dimensional formula for impulse is same as the dimensional formula for  
[CPMT 1982, 83; CBSE PMT 1993; UPSEAT 2001]
- (a) Momentum  
(b) Force  
(c) Rate of change of momentum  
(d) Torque
23. Which of the following is dimensionally correct
- (a) Pressure = Energy per unit area  
(b) Pressure = Energy per unit volume  
(c) Pressure = Force per unit volume  
(d) Pressure = Momentum per unit volume per unit time
24. Planck's constant has the dimensions (unit) of  
[CPMT 1983, 84, 85, 90, 91; AIIMS 1985; MP PMT 1987; EAMCET 1990; RPMT 1999; CBSE PMT 2001; MP PET 2002; KCET 2004]
- (a) Energy (b) Linear momentum  
(c) Work (d) Angular momentum
25. The equation of state of some gases can be expressed as  $\left(P + \frac{a}{V^2}\right)(V - b) = RT$ . Here  $P$  is the pressure,  $V$  is the volume,  $T$  is the absolute temperature and  $a, b, R$  are constants. The dimensions of ' $a$ ' are  
[CBSE PMT 1991, 96; NCERT 1984; MP PET 1992; CPMT 1974, 79, 87, 97; MP PMT 1992, 94; MNR 1995; AFMC 1995]
- (a)  $ML^5T^{-2}$  (b)  $ML^{-1}T^{-2}$   
(c)  $M^0L^3T^0$  (d)  $M^0L^6T^0$
26. If  $V$  denotes the potential difference across the plates of a capacitor of capacitance  $C$ , the dimensions of  $CV^2$  are  
[CPMT 1982]
- (a) Not expressible in  $MLT$  (b)  $MLT^{-2}$   
(c)  $M^2LT^{-1}$  (d)  $ML^2T^{-2}$
27. If  $L$  denotes the inductance of an inductor through which a current  $i$  is flowing, the dimensions of  $L i^2$  are  
[CPMT 1982, 85, 87]
- (a)  $ML^2T^{-2}$  (b) Not expressible in  $MLT$   
(c)  $MLT^{-2}$  (d)  $M^2L^2T^{-2}$
28. Of the following quantities, which one has dimensions different from the remaining three  
[AIIMS 1987; CBSE PMT 1993]
- (a) Energy per unit volume  
(b) Force per unit area  
(c) Product of voltage and charge per unit volume  
(d) Angular momentum per unit mass
29. A spherical body of mass  $m$  and radius  $r$  is allowed to fall in a medium of viscosity  $\eta$ . The time in which the velocity of the body increases from zero to 0.63 times the terminal velocity ( $v$ ) is called time constant ( $\tau$ ). Dimensionally  $\tau$  can be represented by  
[AIIMS 1987]
- (a)  $\frac{mr^2}{6\pi\eta}$  (b)  $\sqrt{\left(\frac{6\pi m r \eta}{g^2}\right)}$   
(c)  $\frac{m}{6\pi\eta r v}$  (d) None of the above
30. The frequency of vibration  $f$  of a mass  $m$  suspended from a spring of spring constant  $K$  is



given by a relation of this type  $f = Cm^xK^y$ ; where  $C$  is a dimensionless quantity. The value of  $x$  and  $y$  are [CBSE PMT 1990]

- (a)  $x = \frac{1}{2}, y = \frac{1}{2}$  (b)  $x = -\frac{1}{2}, y = -\frac{1}{2}$   
 (c)  $x = \frac{1}{2}, y = -\frac{1}{2}$  (d)  $x = -\frac{1}{2}, y = \frac{1}{2}$

31. The quantities  $A$  and  $B$  are related by the relation,  $m = A/B$ , where  $m$  is the linear density and  $A$  is the force. The dimensions of  $B$  are of

- (a) Pressure (b) Work  
 (c) Latent heat (d) None of the above

32. The velocity of water waves  $v$  may depend upon their wavelength  $\lambda$ , the density of water  $\rho$  and the acceleration due to gravity  $g$ . The method of dimensions gives the relation between these quantities as

[NCERT 1979; CET 1992; MP PET 2001; UPSEAT 2000]

- (a)  $v^2 \propto \lambda g^{-1} \rho^{-1}$  (b)  $v^2 \propto g \lambda \rho$   
 (c)  $v^2 \propto g \lambda$  (d)  $v^2 \propto g^{-1} \lambda^{-3}$

33. The dimensions of Farad are

[MP PET 1993]

- (a)  $M^{-1}L^{-2}T^2Q^2$  (b)  $M^{-1}L^{-2}TQ$   
 (c)  $M^{-1}L^{-2}T^{-2}Q$  (d)  $M^{-1}L^{-2}TQ^2$

34. The dimensions of resistivity in terms of  $M, L, T$  and  $Q$  where  $Q$  stands for the dimensions of charge, is

[MP PET 1993]

- (a)  $ML^3T^{-1}Q^{-2}$  (b)  $ML^3T^{-2}Q^{-1}$   
 (c)  $ML^2T^{-1}Q^{-1}$  (d)  $MLT^{-1}Q^{-1}$

35. The equation of a wave is given by

$$Y = A \sin \omega \left( \frac{x}{v} - k \right)$$

where  $\omega$  is the angular velocity and  $v$  is the linear velocity. The dimension of  $k$  is

[MP PMT 1993]

- (a)  $LT$  (b)  $T$   
 (c)  $T^{-1}$  (d)  $T^2$

36. The dimensions of coefficient of thermal conductivity is

[MP PMT 1993]

- (a)  $ML^2T^{-2}K^{-1}$  (b)  $MLT^{-3}K^{-1}$

- (c)  $MLT^{-2}K^{-1}$  (d)  $MLT^{-3}K$

37. Dimensional formula of stress is

- (a)  $M^0LT^{-2}$  (b)  $M^0L^{-1}T^{-2}$   
 (c)  $ML^{-1}T^{-2}$  (d)  $ML^2T^{-2}$

38. Dimensional formula of velocity of sound is

- (a)  $M^0LT^{-2}$  (b)  $LT^0$   
 (c)  $M^0LT^{-1}$  (d)  $M^0L^{-1}T^{-1}$

39. Dimensional formula of capacitance is

[CPMT 1978; MP PMT 1979; IIT 1983]

- (a)  $M^{-1}L^{-2}T^4A^2$  (b)  $ML^2T^4A^{-2}$   
 (c)  $MLT^{-4}A^2$  (d)  $M^{-1}L^{-2}T^{-4}A^{-2}$

40.  $MLT^{-1}$  represents the dimensional formula of

[CPMT 1975]

- (a) Power (b) Momentum  
 (c) Force (d) Couple

41. Dimensional formula of heat energy is

[CPMT 1976, 81, 86, 91]

- (a)  $ML^2T^{-2}$  (b)  $MLT^{-1}$   
 (c)  $M^0L^0T^{-2}$  (d) None of these

42. If  $C$  and  $L$  denote capacitance and inductance respectively, then the dimensions of  $LC$  are

[CPMT 1981; MP PET 1997]

- (a)  $M^0L^0T^0$  (b)  $M^0L^0T^2$   
 (c)  $M^2L^0T^2$  (d)  $MLT^2$

43. Which of the following quantities has the same dimensions as that of energy [AFMC 1991; CPMT 1976; DPMT 2001]

- (a) Power (b) Force  
 (c) Momentum (d) Work

44. The dimensions of "time constant"  $\frac{L}{R}$  during growth and decay of current in all inductive circuit is same as that of

[MP PET 1993; EAMCET 1994]

- (a) Constant (b) Resistance  
 (c) Current (d) Time

45. The period of a body under SHM *i.e.* presented by  $T = P^a D^b S^c$ ; where  $P$  is pressure,  $D$  is density and  $S$  is surface tension. The value of  $a, b$  and  $c$  are [CPMT 1981]

- (a)  $-\frac{3}{2}, \frac{1}{2}, 1$  (b)  $-1, -2, 3$   
 (c)  $\frac{1}{2}, -\frac{3}{2}, -\frac{1}{2}$  (d)  $1, 2, \frac{1}{3}$

46. Which of the following pairs of physical quantities has the same dimensions [CPMT 1978; NCERT 1987]  
 (a) Work and power (b) Momentum and energy  
 (c) Force and power (d) Work and energy
47. The velocity of a freely falling body changes as  $g^p h^q$  where  $g$  is acceleration due to gravity and  $h$  is the height. The values of  $p$  and  $q$  are [NCERT 1983; EAMCET 1994]  
 (a)  $1, \frac{1}{2}$  (b)  $\frac{1}{2}, \frac{1}{2}$   
 (c)  $\frac{1}{2}, 1$  (d)  $1, 1$
48. Which one of the following does not have the same dimensions [CPMT 1985]  
 (a) Work and energy  
 (b) Angle and strain  
 (c) Relative density and refractive index  
 (d) Planck constant and energy
49. Dimensions of frequency are [CPMT 1988]  
 (a)  $M^0 L^{-1} T^0$  (b)  $M^0 L^0 T^{-1}$   
 (c)  $M^0 L^0 T$  (d)  $MT^{-2}$
50. Which one has the dimensions different from the remaining three [CBSE PMT 1988]  
 (a) Power (b) Work  
 (c) Torque (d) Energy
51. A small steel ball of radius  $r$  is allowed to fall under gravity through a column of a viscous liquid of coefficient of viscosity  $\eta$ . After some time the velocity of the ball attains a constant value known as terminal velocity  $v_T$ . The terminal velocity depends on (i) the mass of the ball  $m$ , (ii)  $\eta$ , (iii)  $r$  and (iv) acceleration due to gravity  $g$ . Which of the following relations is dimensionally correct [CPMT 1992; CBSE PMT 1992; NCERT 1983; MP PMT 2001]  
 (a)  $v_T \propto \frac{mg}{\eta r}$  (b)  $v_T \propto \frac{\eta r}{mg}$   
 (c)  $v_T \propto \eta r mg$  (d)  $v_T \propto \frac{mgr}{\eta}$
52. The quantity  $X = \frac{\epsilon_0 L V}{t}$ :  $\epsilon_0$  is the permittivity of free space,  $L$  is length,  $V$  is potential difference and  $t$  is time. The dimensions of  $X$  are same as that of [IIT 2001]  
 (a) Resistance (b) Charge  
 (c) Voltage (d) Current
53.  $\mu_0$  and  $\epsilon_0$  denote the permeability and permittivity of free space, the dimensions of  $\mu_0 \epsilon_0$  are  
 (a)  $LT^{-1}$  (b)  $L^{-2} T^2$   
 (c)  $M^{-1} L^{-3} Q^2 T^2$  (d)  $M^{-1} L^{-3} I^2 T^2$
54. The expression  $[ML^2 T^{-2}]$  represents [JIPMER 1993, 97]  
 (a) Pressure (b) Kinetic energy  
 (c) Momentum (d) Power
55. The dimensions of physical quantity  $X$  in the equation  $\text{Force} = \frac{X}{\text{Density}}$  is given by [DCE 1993]  
 (a)  $M^1 L^4 T^{-2}$  (b)  $M^2 L^{-2} T^{-1}$   
 (c)  $M^2 L^{-2} T^{-2}$  (d)  $M^1 L^{-2} T^{-1}$
56. The dimensions of  $CV^2$  matches with the dimensions of [DCE 1993]  
 (a)  $L^2 I$  (b)  $L^2 I^2$   
 (c)  $LI^2$  (d)  $\frac{1}{LI}$
57. The Martians use force ( $F$ ), acceleration ( $A$ ) and time ( $T$ ) as their fundamental physical quantities. The dimensions of length on Martians system are [DCE 1993]  
 (a)  $FT^2$  (b)  $F^{-1} T^2$   
 (c)  $F^{-1} A^2 T^{-1}$  (d)  $AT^2$
58. The dimension of  $\frac{1}{\sqrt{\epsilon_0 \mu_0}}$  is that of [SCRA 1986]  
 (a) Velocity (b) Time  
 (c) Capacitance (d) Distance
59. An athletic coach told his team that muscle times speed equals power. What dimensions does he view for muscle  
 (a)  $MLT^{-2}$  (b)  $ML^2 T^{-2}$   
 (c)  $MLT^2$  (d)  $L$

60. The foundations of dimensional analysis were laid down by  
 (a) Galileo (b) Newton  
 (c) Fourier (d) Joule
61. The dimensional formula of wave number is  
 (a)  $M^0 L^0 T^{-1}$  (b)  $M^0 L^{-1} T^0$   
 (c)  $M^{-1} L^{-1} T^0$  (d)  $M^0 L^0 T^0$
62. The dimensions of stress are equal to [MP PET 1991, 2003]  
 (a) Force (b) Pressure  
 (c) Work (d)  $\frac{1}{\text{Pressure}}$
63. The dimensions of pressure are  
 [CPMT 1977; MP PMT 1994]  
 (a)  $MLT^{-2}$  (b)  $ML^{-2}T^2$   
 (c)  $ML^{-1}T^{-2}$  (d)  $MLT^2$
64. Dimensions of permeability are  
 [CBSE PMT 1991; AIIMS 2003]  
 (a)  $A^{-2}M^1L^1T^{-2}$  (b)  $MLT^{-2}$   
 (c)  $ML^0T^{-1}$  (d)  $A^{-1}MLT^2$
65. Dimensional formula of magnetic flux is  
 [DCE 1993; IIT 1982; CBSE PMT 1989, 99; DPMT 2001; Kerala PMT 2005]  
 (a)  $ML^2T^{-2}A^{-1}$  (b)  $ML^0T^{-2}A^{-2}$   
 (c)  $M^0L^{-2}T^{-2}A^{-3}$  (d)  $ML^2T^{-2}A^3$
66. If  $P$  represents radiation pressure,  $c$  represents speed of light and  $Q$  represents radiation energy striking a unit area per second, then non-zero integers  $x, y$  and  $z$  such that  $P^x Q^y c^z$  is dimensionless, are  
 [AFMC 1991; CBSE PMT 1992; CPMT 1981, 92; MP PMT 1992]  
 (a)  $x=1, y=1, z=-1$   
 (b)  $x=1, y=-1, z=1$   
 (c)  $x=-1, y=1, z=1$   
 (d)  $x=1, y=1, z=1$
67. Inductance  $L$  can be dimensionally represented as  
 [CBSE PMT 1989, 92; IIT 1983; CPMT 1992; DPMT 1999; KCET 2004; J&K CET 2005]  
 (a)  $ML^2T^{-2}A^{-2}$  (b)  $ML^2T^{-4}A^{-3}$   
 (c)  $ML^{-2}T^{-2}A^{-2}$  (d)  $ML^2T^4A^3$
68. Dimensions of strain are [MP PET 1984; SCRA 1986]  
 (a)  $MLT^{-1}$  (b)  $ML^2T^{-1}$   
 (c)  $MLT^{-2}$  (d)  $M^0L^0T^0$
69. Dimensions of time in power are [EAMCET 1982]  
 (a)  $T^{-1}$  (b)  $T^2$   
 (c)  $T^{-3}$  (d)  $T^0$
70. Dimensions of kinetic energy are [Bihar PET 1983; DPET 1993; AFMC 1991]  
 (a)  $ML^2T^{-2}$  (b)  $M^2LT^{-1}$   
 (c)  $ML^2T^{-1}$  (d)  $ML^3T^{-1}$
71. Dimensional formula for torque is [DPMT 1984; IIT 1983; CBSE PMT 1990; MNR 1988; AIIMS 2002; BHU 1995, 2001; RPMT 1999; RPET 2003; DCE 1999, 2000; DCE 2004]  
 (a)  $L^2MT^{-2}$  (b)  $L^{-1}MT^{-2}$   
 (c)  $L^2MT^{-3}$  (d)  $LMT^{-2}$
72. Dimensions of coefficient of viscosity are [AIIMS 1993; CPMT 1992; Bihar PET 1984; MP PMT 1987, 89, 91; AFMC 1986; CBSE PMT 1992; KCET 1994; DCE 1999; AIEEE 2004; DPMT 2004]  
 (a)  $ML^2T^{-2}$  (b)  $ML^2T^{-1}$   
 (c)  $ML^{-1}T^{-1}$  (d)  $MLT$
73. The dimension of quantity  $(L/RCV)$  is [Roorkee 1994]  
 (a)  $[A]$  (b)  $[A^2]$   
 (c)  $[A^{-1}]$  (d) None of these
74. The dimension of the ratio of angular to linear momentum is [MNR 1994]  
 (a)  $M^0L^1T^0$  (b)  $M^1L^1T^{-1}$   
 (c)  $M^1L^2T^{-1}$  (d)  $M^{-1}L^{-1}T^{-1}$
75. The pair having the same dimensions is [MP PET 1994; CPMT 1996]  
 (a) Angular momentum, work  
 (b) Work, torque  
 (c) Potential energy, linear momentum  
 (d) Kinetic energy, velocity
76. The dimensions of surface tension are [MP PMT 1994, 99; UPSEAT 1999]  
 (a)  $ML^{-1}T^{-2}$  (b)  $MLT^{-2}$   
 (c)  $ML^{-1}T^{-1}$  (d)  $MT^{-2}$
77. In the following list, the only pair which have different dimensions, is [Manipal MEE 1995]  
 (a) Linear momentum and moment of a force  
 (b) Planck's constant and angular momentum

[EAMCET (Engg.) 1995]

- (c) Pressure and modulus of elasticity  
(d) Torque and potential energy
78. If  $R$  and  $L$  represent respectively resistance and self inductance, which of the following combinations has the dimensions of frequency  
[MP PMT 1996, 2000, 02; MP PET 1999]
- (a)  $\frac{R}{L}$  (b)  $\frac{L}{R}$   
(c)  $\sqrt{\frac{R}{L}}$  (d)  $\sqrt{\frac{L}{R}}$
79. If velocity  $v$ , acceleration  $A$  and force  $F$  are chosen as fundamental quantities, then the dimensional formula of angular momentum in terms of  $v, A$  and  $F$  would be
- (a)  $FA^{-1}v$  (b)  $Fv^3A^{-2}$   
(c)  $Fv^2A^{-1}$  (d)  $F^2v^2A^{-1}$
80. The dimensions of permittivity  $\epsilon_0$  are  
[MP PET 1997; AIIMS-2004; DCE-2003]
- (a)  $A^2T^2M^{-1}L^{-3}$  (b)  $A^2T^4M^{-1}L^{-3}$   
(c)  $A^{-2}T^{-4}ML^3$  (d)  $A^2T^{-4}M^{-1}L^{-3}$
81. Dimensions of the following three quantities are the same  
[MP PET 1997]
- (a) Work, energy, force  
(b) Velocity, momentum, impulse  
(c) Potential energy, kinetic energy, momentum  
(d) Pressure, stress, coefficient of elasticity
82. The dimensions of Planck's constant and angular momentum are respectively [CPMT 1999; BCECE 2004]
- (a)  $ML^2T^{-1}$  and  $MLT^{-1}$  (b)  $ML^2T^{-1}$  and  $ML^2T^{-1}$   
(c)  $MLT^{-1}$  and  $ML^2T^{-1}$  (d)  $MLT^{-1}$  and  $ML^2T^{-2}$
83. Let  $[\epsilon_0]$  denotes the dimensional formula of the permittivity of the vacuum and  $[\mu_0]$  that of the permeability of the vacuum. If  $M =$  mass,  $L =$  length,  $T =$  Time and  $I =$  electric current, then  
[IIT 1998]
- (a)  $[\epsilon_0] = M^{-1}L^{-3}T^2I$  (b)  $[\epsilon_0] = M^{-1}L^{-3}T^4I^2$   
(c)  $[\mu_0] = MLT^{-2}I^2$  (d)  $[\mu_0] = ML^2T^{-1}I$
84. Dimensions of  $CR$  are those of  
[EAMCET (Engg.) 1995; AIIMS 1999]
- (a) Frequency (b) Energy  
(c) Time period (d) Current
85. The physical quantity that has no dimensions
- (a) Angular Velocity (b) Linear momentum  
(c) Angular momentum (d) Strain
86.  $ML^{-1}T^{-2}$  represents  
[EAMCET (Med.) 1995; Pb. PMT 2001]
- (a) Stress  
(b) Young's Modulus  
(c) Pressure  
(d) All the above three quantities
87. Dimensions of magnetic field intensity is  
[RPMT 1997; EAMCET (Med.) 2000; MP PET 2003]
- (a)  $[M^0L^{-1}T^0A^1]$  (b)  $[MLT^{-1}A^{-1}]$   
(c)  $[ML^0T^{-2}A^{-1}]$  (d)  $[MLT^{-2}A]$
88. The force  $F$  on a sphere of radius ' $a$ ' moving in a medium with velocity ' $v$ ' is given by  $F = 6\pi\eta av$ . The dimensions of  $\eta$  are [CBSE PMT 1997; DPMT 2000]
- (a)  $ML^{-1}T^{-1}$  (b)  $MT^{-1}$   
(c)  $MLT^{-2}$  (d)  $ML^{-3}$
89. Which physical quantities have the same dimension  
[CPMT 1997]
- (a) Couple of force and work  
(b) Force and power  
(c) Latent heat and specific heat  
(d) Work and power
90. Two quantities A and B have different dimensions. Which mathematical operation given below is physically meaningful  
[CPMT 1997]
- (a)  $A/B$  (b)  $A+B$   
(c)  $A-B$  (d) None
91. Given that  $v$  is speed,  $r$  is the radius and  $g$  is the acceleration due to gravity. Which of the following is dimensionless  
[CET 1998]
- (a)  $v^2/r/g$  (b)  $v^2r/g$   
(c)  $v^2g/r$  (d)  $v^2rg$
92. The physical quantity which has the dimensional formula  $M^1T^{-3}$  is  
[CET 1998]
- (a) Surface tension (b) Solar constant  
(c) Density (d) Compressibility

93. A force  $F$  is given by  $F = at + bt^2$ , where  $t$  is time. What are the dimensions of  $a$  and  $b$   
[AFMC 2001; BHU 1998, 2005]  
(a)  $MLT^{-3}$  and  $ML^2T^{-4}$  (b)  $MLT^{-3}$  and  $MLT^{-4}$   
(c)  $MLT^{-1}$  and  $MLT^0$  (d)  $MLT^{-4}$  and  $MLT^1$
94. The dimensions of inter atomic force constant are  
[UPSEAT 1999]  
(a)  $MT^{-2}$  (b)  $MLT^{-1}$   
(c)  $MLT^{-2}$  (d)  $ML^{-1}T^{-1}$
95. If the speed of light ( $c$ ), acceleration due to gravity ( $g$ ) and pressure ( $p$ ) are taken as the fundamental quantities, then the dimension of gravitational constant is  
[AMU (Med.) 1999]  
(a)  $c^2g^0p^{-2}$  (b)  $c^0g^2p^{-1}$   
(c)  $cg^3p^{-2}$  (d)  $c^{-1}g^0p^{-1}$
96. If the time period ( $T$ ) of vibration of a liquid drop depends on surface tension ( $S$ ), radius ( $r$ ) of the drop and density ( $\rho$ ) of the liquid, then the expression of  $T$  is  
[AMU (Med.) 2000]  
(a)  $T = k\sqrt{\rho r^3 / S}$  (b)  $T = k\sqrt{\rho^{1/2} r^3 / S}$   
(c)  $T = k\sqrt{\rho r^3 / S^{1/2}}$  (d) None of these
97.  $ML^3T^{-1}Q^{-2}$  is dimension of  
[RPET 2000]  
(a) Resistivity (b) Conductivity  
(c) Resistance (d) None of these
98. Dimension of electric current is  
[CBSE PMT 2000]  
(a)  $[M^0L^0T^{-1}Q]$  (b)  $[ML^2T^{-1}Q]$   
(c)  $[M^2LT^{-1}Q]$  (d)  $[M^2L^2T^{-1}Q]$
99. The fundamental physical quantities that have same dimensions in the dimensional formulae of torque and angular momentum are  
[EAMCET (Eng.) 2000]  
(a) Mass, time (b) Time, length  
(c) Mass, length (d) Time, mole
100. If pressure  $P$ , velocity  $V$  and time  $T$  are taken as fundamental physical quantities, the dimensional formula of force is  
[EAMCET (Eng.) 2000]  
(a)  $PV^2T^2$  (b)  $P^{-1}V^2T^{-2}$   
(c)  $PVT^2$  (d)  $P^{-1}VT^2$
101. The physical quantity which has dimensional formula as that of  $\frac{\text{Energy}}{\text{Mass} \times \text{Length}}$  is  
[EAMCET (Eng.) 2000]  
(a) Force (b) Power  
(c) Pressure (d) Acceleration
102. If energy ( $E$ ), velocity ( $v$ ) and force ( $F$ ) be taken as fundamental quantity, then what are the dimensions of mass  
[AMU 2000]  
(a)  $E^2v^2$  (b)  $E^2v^{-2}$   
(c)  $Fv^{-1}$  (d)  $Fv^{-2}$
103. Dimensions of luminous flux are  
[UPSEAT 2001]  
(a)  $ML^2T^{-2}$  (b)  $ML^2T^{-3}$   
(c)  $ML^2T^{-1}$  (d)  $MLT^{-2}$
104. A physical quantity  $x$  depends on quantities  $y$  and  $z$  as follows:  $x = Ay + B \tan Cz$ , where  $A, B$  and  $C$  are constants. Which of the following do not have the same dimensions  
[AMU (Engg.) 2001]  
(a)  $x$  and  $B$  (b)  $C$  and  $z^{-1}$   
(c)  $y$  and  $B/A$  (d)  $x$  and  $A$
105. Which of the following pair does not have similar dimensions  
[AIIMS 2001]  
(a) Stress and pressure  
(b) Angle and strain  
(c) Tension and surface tension  
(d) Planck's constant and angular momentum
106. Out of the following which pair of quantities do not have same dimensions  
[RPET 2001]  
(a) Planck's constant and angular momentum  
(b) Work and energy  
(c) Pressure and Young's modulus  
(d) Torque & moment of inertia
107. Identify the pair which has different dimensions  
[KCET 2001]  
(a) Planck's constant and angular momentum  
(b) Impulse and linear momentum  
(c) Angular momentum and frequency  
(d) Pressure and Young's modulus
108. The dimensional formula  $M^0L^2T^{-2}$  stands for  
[KCET 2001]

- (a) Torque
- (b) Angular momentum
- (c) Latent heat
- (d) Coefficient of thermal conductivity

109. Which of the following represents the dimensions of *Farad*

[AMU (Med.) 2002]

- (a)  $M^{-1}L^{-2}T^4A^2$
- (b)  $ML^2T^2A^{-2}$
- (c)  $ML^2T^2A^{-1}$
- (d)  $MT^{-2}A^{-1}$

110. If  $L, C$  and  $R$  denote the inductance, capacitance and resistance respectively, the dimensional formula for  $C^2LR$  is

[UPSEAT 2002]

- (a)  $[ML^{-2}T^{-1}I^0]$
- (b)  $[M^0L^0T^3I^0]$
- (c)  $[M^{-1}L^{-2}T^6I^2]$
- (d)  $[M^0L^0T^2I^0]$

111. If the velocity of light ( $c$ ), gravitational constant ( $G$ ) and Planck's constant ( $h$ ) are chosen as fundamental units, then the dimensions of mass in new system is

[UPSEAT 2002]

- (a)  $c^{1/2}G^{1/2}h^{1/2}$
- (b)  $c^{1/2}G^{1/2}h^{-1/2}$
- (c)  $c^{1/2}G^{-1/2}h^{1/2}$
- (d)  $c^{-1/2}G^{1/2}h^{1/2}$